



Home
Work
Outdoor
Gift
Domotics
Battery



WWW.VELAMP.COM

CATALOGO GENERALE 2016
LUCE AUTONOMA I edizione



VELAMP®



Une histoire Italienne

VELAMP est née en 1972. C'est l'acronyme de VENEGONO LAMPADE, ville de la grande usine de matériels agricoles FRATELLI PAGANI spa. Née en 1906, les industries FRATELLI PAGANI, ont accompagné le développement industriel de l'Italie depuis le début du siècle dernier.

Première usine de batterie en Italie, la Compagnie lance et développe la première lampe portable au Monde. C'est le début d'une longue série d'innovations dans le domaine de la lumière « portée » :

- Invention de la première lampe torche.
- Création de la première lampe anti black-out
- Invention de la lampe frontale
- Invention de la lampe dynamo.

Le siège actuel de VELAMP INDUSTRIE, présente une superbe exposition des produits VELAMP depuis le début de l'aventure en 1906. Les usines FRATELLI PAGANI, seront totalement détruites en 1943, par les bombardements des forces alliées. Après la seconde guerre mondiale, l'Italie est en pleine reconstruction, comme une grande partie de l'Europe. C'est la période du « Miracle Italien », le pays connaît un boom économique incroyable et les industries FRATELLI PAGANI, se lancent dans la production entre autre de lampes torche et lampes professionnelles pour les plus grandes marques du marché : Philips, Varta, Duracell, Rayovac...

VELAMP a été créée dans le but de permettre à l'entreprise de distribuer ses produits sous sa marque sur le marché Italien. Depuis ce moment, VELAMP n'a cessé de créer et d'innover dans le domaine de la lampe portable. Pionnier sur son marché, VELAMP a toujours adapté ses produits aux évolutions techniques (Ex : arrivée des ampoules LED...) et anticipé la demande des consommateurs avec des produits designs et innovants. Aujourd'hui, l'entreprise VELAMP INDUSTRIES, propriétaire de la marque

VELAMP entend bien poursuivre cette formidable histoire industrielle en offrant une gamme de lumières portables et de services dans les cinq principaux domaines d'application de son marché :

- Lumières pour la maison (HOME LIGHTING)
- Lumières pour les professionnels (WORK)
- Lumières pour l'extérieur (OUTDOOR)
- Lumières pour les produits promotionnels et les cadeaux d'entreprises (GIFT and PROMO)
- Piles et batteries (BATTERY)

La force de ses valeurs (solidarité, progrès et performance), fait de VELAMP un acteur majeur de son marché, responsable et avant-gardiste pour toujours.





Una storia italiana



VELAMP nasce nel 1972 come acronimo di VENEGONO LAMPADE, sito della maggiore unità produttiva dell'allora Fratelli Pagani Spa. Nata nel 1906, la Fratelli Pagani ha accompagnato l'evoluzione dell'Italia lungo tutto il secolo.

Prima fabbrica di batterie nel Bel Paese, l'azienda cominciò ad investire per sviluppare le prime lampade portatili. Cominciò una lunga serie di innovazioni ancora in uso:

- Nascita del primo astuccio
- Nascita della prima lampada antiblack-out
- Creazione della prima lampada da testa
- Invenzione della lampada a dinamo.

Fratelli Pagani accompagnò anche la Storia del paese: produttore per le forze armate, il suo principale stabilimento fu rasato al suolo nel 1943 dai bombardieri anglo-americani. Dopo guerra l'azienda si reinventò e seguendo il miracolo italiano cominciò a produrre lampade portatili principalmente per i nomi più conosciuti del mestiere: Duracell, Rayovac, Varta, Philips.... VELAMP fu creata per dare un marchio italiano all'azienda.

Da allora VELAMP ha continuato ad evolvere ed innovare per dare delle risposte sempre più nuove ai bisogni di lighting portatile dei consumatori. Pioniere sul mercato, VELAMP ha sempre saputo interpretare le rivoluzioni tecniche (sviluppo del sub, arrivo del LED...) per anticipare il mercato e proporre prodotti sempre più design ed efficienti.

Oggi, VELAMP INDUSTRIES SRL, proprietario del marchio VELAMP, intende continuare questa storia proponendo dei prodotti di illuminazione portatile e di complemento per 5 principali famiglie di prodotti:

- Illuminazione per la casa
- Illuminazione per il lavoro e l'hobbistica
- Illuminazione per l'esterno
- Illuminazione per il gift & premium
- Batterie

Forte dei suoi valori: Solidarietà, Progresso, Performance, VELAMP si propone come un attore fondamentale del mercato: responsabile e all'avanguardia. Sempre.



VELAMP was born in 1972 as an acronym of VENEGONO LAMPADE, town of the biggest production plant of former Fratelli Pagani Spa. Founded in 1906, Fratelli Pagani has accompanied the evolution of Italy throughout the century.

First battery factory in Italy, the firm started to invest and developed the first portable lamps. So started a long series of innovative products that will still use everyday:

- Invention of the first flashlight
- Creation of the first anti black-out lamp
- Invention of the first headlamp
- Invention of dynamo lamp

Fratelli Pagani was an actor in Italian History: as a supplier of the Italian armed forces its main factory was totally destroyed by the anglo-american bombings in 1943. After WWII the Company started its business from scratch and following the "Italian Miracle" produced portable lamps, mainly for the major actors of the market: Duracell, Rayovac, Varta, Philips....

VELAMP was created with the aim to give an Italian brand to the Company.


From this moment on VELAMP has continued to evolve and innovate, so as to give answers to the always renewed needs for portable lighting. Pioneer on its market, VELAMP has always known how to interpret the technical evolutions (development of scuba diving, invention of the LED...) to anticipate the market and offer design and innovative products.

Today, VELAMP INDUSTRIES SRL, owner of the VELAMP brand, intends to continue this story, offering portable and service lighting for 5 major applications:

- Home lighting
- Hobby and Work lighting
- Outdoor lighting
- Gift & Premium lighting
- Batteries

The strength of its values (Solidarity, Progress, Performance) makes VELAMP a fundamental actor on this market: responsible and one step ahead. Always.

... e il concetto di marketing



HOME	7
ASTUCCI <i>Pocket lamp / Lampes de poches</i>	8
TORCE USO DOMESTICO <i>Flashlight for domestic use / Lampes torches pour usage domestique</i>	8
FARI USO DOMESTICO <i>Spotlights for domestic use / Phares pour usage domestique</i>	9
LUCI DI COMPLEMENTO <i>Complement lighting / Lumières de complément</i>	10
LUCI DA LETTURA <i>Reading lights / Lampes de lecture</i>	13
LUCI DI SICUREZZA PORTATILI <i>Portable emergency lamps / Lampes de secours portatives</i>	16
LUCI DI SICUREZZA FISSE <i>Wall emergency lamps / Blocs de secours</i>	19
WORK	21
TORCE E ASTUCCI USO PROFESSIONALE <i>Professional pocket lamps and flashlight / Lampes de poche et torches professionnelles</i>	22
FARI USO PROFESSIONALE <i>Professional spotlights / Phares pour usage professionnel</i>	24
LAMPADE DA LAVORO <i>Worklights / Lampes de travail portatives</i>	28
LUCI DI ISPEZIONE <i>Inspection lights / Lumières d'inspection</i>	31
CANTIERISTICA - LAMPEGGIANTI <i>Blinking road lights / Lumières de chantier</i>	31
OUTDOOR	33
TORCE USO OUTDOOR <i>Flashlight for leisure and outdoor purpose / Lampes torches pour usage extérieur et loisirs</i>	34
LANTERNE <i>Camping lamps / Lanternes</i>	36
FARI USO OUTDOOR <i>Spotlights for leisure and outdoor purpose / Phares pour usage extérieur et loisirs</i>	37
HEADLAMP <i>Headlamp / Lumières frontales</i>	38
SPORT <i>Sports / Sports</i>	40
SOLARE & AUTONOMO <i>Solar and autonomous lighting / Éclairage solaire et autonome</i>	41
LUMINI VOTIVI <i>Votive lights / Lumières votives</i>	43
GIFT&PROMO	45
ESPOSITORI <i>Display / Présentoirs</i>	46
DOMOTICS	51
VETECH <i>Domotica / Domotics / Domotique</i>	52
BATTERIES	57
ZINCO CARBONE <i>Zinc-Carbene / Zinc-carbon</i>	58
ALCALINE <i>Alkaline / Alkaline</i>	59
LITIO <i>Lithium / Lithium</i>	61
RICARICABILI <i>Rechargeable / Rechargeables</i>	62
CARICABATTERIE <i>Battery chargers / Chargeurs de batterie</i>	62
BATTERIE AL PIOMBO RICARICABILI <i>Rechargeable lead acid batteries / Batteries au plomb rechargeables</i>	63
MULTIMETRI DIGITALI <i>Digital multimeter / Multimetre digital</i>	64
TESTER PER BATTERIE <i>Battery Tester / Multimètres</i>	65
TRASFORMATORI UNIVERSALI <i>Universal transformer / Transformateurs universels</i>	65
CERCAFASE <i>Voltage tester / Testeur de voltage</i>	65
ESPOSITORI <i>Display / Présentoirs</i>	66



LEGENDA SIMBOLI CONTENUTI NELLE TABELLE INFORMATIVE DEI PRODOTTI

	Tecnologia della Luce / Light technology / Technologie de la lumière
	Lumen / Lumen / Lumen
	Portata / Range / Distance d'éclairage
	Autonomia / Runtime / Autonomie
	Fascio di luce / Light beam / Type de faisceau
	Dimensioni prodotto / Product dimensions / Dimensions
	Batteria / Battery / Batterie
	Materiale / Material / Matériau
	Accessori / Accessories / Accessoires
	Grado di protezione / Protection degree / Degré de protection
	Alimentazione / Power supply / Alimentation
	Non significativo / Not significant / Non significatif



Home



Home

ID70E - LANTERNETTE

Mini astuccio luminoso
Mini pocket lamp
Lampe de poche

ID70E



PACKING	INNER	MASTER
/	pcs	pcs
Polybag	12	144



FULL
METAL
JACKET

COD.								
ID70E	20294 3,6V - 0,3 A	14 Lm	25 mt	6 ore/hrs	Diffuse light	66 x 112 x 30 mm	3R12 (not included)	Metal

D63LED - COMPACT

Mini astuccio luminoso
Mini pocket lamp
Lampe de poche

D63LED



PACKING	INNER	MASTER
/	pcs	pcs
Blister F2	12	48



FOCUS

COD.									
D63LED	1 super LED 0,6W	45 Lm	15 mt	50 ore/hrs	Diffuse Light	30 x 55 x 103 mm	3 x AA/LR06 (not included)	ABS/AL	Gancio a scomparsa Piedino regolabile Focus regolabile

TORCE USO DOMESTICO

Flashlights for domestic use / Lampes torches pour usage domestique

IP04 - IMPULSE

Torcia metallica LED 3W
3W LED metal flashlight
Torche LED 3W metallique

IP04



PACKING	INNER	MASTER
/	pcs	pcs
Blister F6	12	48



3W
LED

ALUMINIUM

COD.									
IP04	1 LED - 3W High power	80 Lm	100 m	>17 ore/hrs	Focus Light	49ø x 165 mm	3 x AAA/LR03 (not included)	Aluminium	IPx4

TORCE USO DOMESTICO

Flashlights for domestic use / Lampes torches pour usage domestique



Home

RUBBER LED

Torcia rubber LED
Rubber LED flashlight
Torche LED rubber



3
SUPER
LED

IRUB1LED



PACKING	INNER	MASTER
	pcs	pcs
Blister F2	12	72

IRUB2LED



PACKING	INNER	MASTER
	pcs	pcs
Blister F6	12	48

IRUB3LED



PACKING	INNER	MASTER
	pcs	pcs
Blister F5	12	48



COD.									
IRUB1LED	3 Super LED	12 Lm	20 mt	30 ore/hrs	Focus light	150 x 42 ø mm	2 x AA/LR6 (not included)	Rubber	Cinturino/Wrist band
IRUB2LED	3 Super LED	12 Lm	30 mt	30 ore/hrs	Focus light	205 x 73 ø mm	2 x D/LR20 (not included)	Rubber	Cinturino/Wrist band
IRUB3LED	3 Super LED	12 Lm	30 mt	30 ore/hrs	Focus light	270 x 73 ø mm	3 x D/LR20 (not included)	Rubber	Cinturino/Wrist band

FARI USO DOMESTICO

Spotlights for domestic use / Phares pour usage domestique

IRUB20LED - FARO RUBBER

Faro LED in caucciù naturale
Natural rubber LED spotlight
Phare LED en caoutchouc naturel

IRUB20LED



PACKING	MASTER	INNER
	pcs	pcs
Tray 6 pcs	12	24



IN
DISPLAY



COD.									
IRUB20LED	1 High Power LED 0,5W	35 Lm	>20 m	>100 ore/hrs	Focus Light	200 x 110 x 103 mm	2 x D/LR20 (not included)	Rubber	IPx4



IL03LED - STELLA LED

Lampada LED a pressione
LED push light
Lampe à pression LED

IL03



PACKING	INNER	MASTER
/	pcs	pcs
Blister F4	12	48



40
HOURS
LIGHT

LED

COD.								
IL03LED	1 LED Bulb	10 Lm	N/S	40 ore/hrs	Diffuse light	140 x 140 x 50 mm	4 x AA/LR6 (not included)	ABS+PS

IL12 - MINI PUSH LIGHT LED

Push light LED finitura alluminio
Aluminium finish LED push light
Lampe à pression LED finition aluminium

IL12



PACKING	INNER	MASTER
/	pcs	pcs
Blister F2	12	120



COD.									
IL12	3 Standard LED	20 Lm	N/S	40 ore/hrs	Diffuse light	ø 68 x 20 mm	3 x AAA/LR03 (not included)	ABS	Velcro®

IL05LED - PUSH LIGHT LED

Lampada a pressione LED
LED Push light
Lampe à pression LED

IL05LED



PACKING	INNER	MASTER
/	pcs	pcs
Blister F4	12	72



40
HOURS
LIGHT

COD.								
IL05LED	3 Standard LED	10 Lm	N/S	40 ore/hrs	Diffuse Light	100 ø x 50 mm	2 x AA/LR6 (not included)	ABS+PS

LUCI DI COMPLEMENTO

Complement lighting / Lumières de complément

IL13EVO - PUSH LIGHT LED

Push light LED
LED push light
Lampe à pression LED

IL13EVO



PACKING	INNER	MASTER
	pcs	pcs
Blister F2	12	120



5 LED

COD.									
IL13EVO	5 LED	20 Lm	N/S	37 ore/hrs	Diffuse Light	150 x 40 x 25 mm	3 x AAA/LR03 (not included)	ABS+PS	Biadesivo

IL14EVO - UFO LED 2

Luce LED con telecomando
Remote controlled LED light
Lumière LED avec télécommande

IL14EVO



PACKING	INNER	MASTER
	pcs	pcs
Blister F5	6	24



COD.									
IL14EVO	5 x 0,6W SMD LED	30 Lm	N/S	50 ore/hrs	Diffuse Light	Luce/light: 100 x 100 x 25 mm Telecomando/remote control: 66 x 92 x 22 mm	3 x AA/LR6 - luce/light (not included) 2AA/LR6 - telecomando/remote control	ABS+PS	Biadesivo e viti

IL11EVO - CHIC

Luce LED con sensore di movimento
Motion sensor LED light
Lumière LED avec détecteur de mouvements

IL11EVO



PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	48



COD.									
IL11EVO	1 x 0,3W SMD LED	35 Lm	N/S	100 ore/hrs	Diffuse Light	90 x 92 x 35 mm	3 x AA/LR6 (not included)	ABS	MCD 12000

IL15XS - EYE LIGHT △

Luce di servizio LED con sensore di presenza
LED service light with motion detector
Lumière de service LED avec détecteur de présence

IL15XS



PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	60



COD.									
IL15XS	2 SMD LED	14 Lm	10 m	50 ore/hrs	Diffuse Light	46 x 94 x 64 mm	3 x AA/LR6 (not included)	PC	Velcro®



Home




IL24WS - SMART LIGHT

Mini barretta 6 LED
6 LED cabinet lamp
Mini reglette 6 LED

IL24WS



PACKING	INNER	MASTER
	pcs	pcs
Blister F6	12	48



COD.									
IL24WS	6 LED SMD	15 Lm	N/S	15 ore/hrs	Diffuse light	238 x 19 mm	3 x AAA/LR03 (not included)	AL+ABS	Velcro®


IL16 - CLOSET LIGHT

Luce 2 LED con interruttore magnetico
2 LED light with magnetic switch
Lumière 2 LED avec interrupteur magnétique


IL16



PACKING	INNER	MASTER
	pcs	pcs
Blister F2	12	96



COD.									
IL16	2 Super LED	6 Lm	N/S	11 ore/hrs	Diffuse light	38 x 18 x 52 mm	3 x AG13 (included)	ABS	Velcro®



LT010 - LED SWITCH BAR △

Reglette magnetica 10 LED
10 LED cabinet barlight
Réglette magnétique 10 LED

LT010



PACKING	INNER	MASTER
	pcs	pcs
Colour box	4	40



COD.									
LT010	10 x 0,07 SMD LED	30 Lm	N/S	28 ore/hrs	Diffuse light	400 x 40 x 20 mm	6 x AA / LR6 (not included)	ABS	Velcro®

IN232 - GOOSE

Luce da lettura LED
LED Booklight
Lampe de lecture LED

IN232



PACKING	INNER	MASTER
	pcs	pcs
Blister F2	12	72



COD.								
IN232	1 High brightness LED		N/S	13 ore/hrs	Diffuse light	265 x 34 x 22 mm	2 x CR2016 (included)	ABS

IN215 - SILVER LIGHT △

Lampada da lettura ultrasottile
Ultra slim reading light
Lampe de lecture ultra fine

IN215



PACKING	INNER	MASTER
	pcs	pcs
Blister	12	120



COD.								
IN215	4 LED	6 Lm	1 m	11,5 ore/hrs	Diffuse light	106 x 40 x 14 mm	2 x CR2450 (included)	ABS

IN205 - NIGHT FRIEND △

Lampada da lettura ricaricabile ultrasottile
Ultra slim rechargeable reading light
Lampe de lecture rechargeable ultra fine

IN205



PACKING	INNER	MASTER
	pcs	pcs
Colour box	12	48



COD.								
IN205	4+1 LED	6 Lm	1 m	3,5 ore/hrs	Diffuse light	100 x 45 x 35 mm	Ni-Mh 3.6V - 800mAh (included)	ABS



IR04LED - LUCCIOLA

Luce notturna con funzione anti black-out

Nightlight with anti black-out function

Veilleuse avec fonction anti black-out



IR04



NIGHT LIGHT



ANTI BLACK-OUT



TORCH

COD.	IR04LED
Alimentazione / Power supply / Alimentation	230V ~ 50 Hz
Batteria / Battery / Batterie	Li - Ion 3,7V 150 mAh
Tecnologia della Luce / Light technology / Technologie de la lumière	2 LED 0,5W + 1 blue LED
Lumen / Lumen / Lumen	10 Lm
Tempo di ricarica / Charging Time / Temps de recharge	6 ore/hrs
Autonomia / Runtime / Autonomie	2 ore/hrs
Fascio di luce / Light beam / Type de faisceau	Diffuso/Diffuse/Diffuse
Dimensioni prodotto / Product dimensions / Dimensions	79,6 x 49 x 24,2 mm
Materiale / Material / Matériau	PC

IR04LED





PACKING	INNER	MASTER
/	pcs	pcs
Blister F2	6	84



R700, R700H - NIGHT GUARD

Punto luce e torcia
Nightlight & flashlight
Veilleuse & torche



COD.	R700 - R700H
Alimentazione / Power supply / Alimentation	230V ~ 50Hz
Batteria / Battery / Batterie	Lithium 3,7V 500 mAh
Tecnologia della Luce / Light technology / Technologie de la lumière	2+16 standard LED
Lumen / Lumen / Lumen	4-6 Lm / pcs
Tempo di ricarica / Charging Time / Temps de recharge	5 ore / hrs
Autonomia / Runtime / Autonomie	2 ore / hrs
Fascio di luce / Light beam / Type de faisceau	Diffuso/Diffuse/Diffuse
Dimensioni prodotto / Product dimensions / Dimensions	133 x 63 x 80 mm
Materiale / Material / Matériau	ABS

R700



Vertical plug

PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	24

R700H



Horizontal plug

PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	24

FLASHLIGHT



MOTION DETECTOR





OVIDEA

Lanterna portatile ricaricabile antiblack-out
Anti black-out portable rechargeable lantern
Lampe LED portative rechargeable anti black-out



IR170LED



IR160LED

COD.	IR170LED	IR160LED
Alimentazione / Power supply / Alimentation	220V ~ 50 Hz / 6V === 400mA	230V ~ 50 Hz / 6V === 400 mA
Batteria / Battery / Batterie	Pb 4V 2Ah	Pb 4V 3,2 Ah
Tecnologia della Luce / Light technology / Technologie de la lumière	4+21 Standard LED	6+23 Standard LED
Potenza d'illuminazione (W) / (W) Power / Puissance (W)	4 W	6 W
Lumen / Lumen / Lumen	85 Lm	120 Lm
Tempo di ricarica / Charging Time / Temps de recharge	24 ore/hrs	12 ore/hrs
Autonomia / Runtime / Autonomie	4 LED = 29 ore/hrs 21 LED = 7 ore/hrs	6 LED = 30 ore/hrs 23 LED = 10 ore/hrs
Tipo di luce / Kelvin degrees / Degrés Kelvin	6000K	6000K
Fascio di luce / Light beam / Type de faisceau	Diffuso/Diffuse/Diffuse	Diffuso/Diffuse/Diffuse
Durata di vita del LED / LED Life time / Durée de vie des LED	30.000 ore/hrs	30.000 ore/hrs
Dimensioni prodotto / Product dimensions / Dimensions	70 x 120 x 190 mm	160 x 285 x 100 mm
Materiale / Material / Matériau	PS+ABS	PS + ABS
IP	IP20	IP20
Accessori / Accessories / Accessoires	Home adaptor	Car charger 12V / Home adaptor

IR170LED



PACKING	INNER	MASTER
/	pcs	pcs
Colour box	6	24

IR160LED



PACKING	INNER	MASTER
/	pcs	pcs
Colour box	-	6

METALSAFE

Lanterna portatile ricaricabile antiblack-out
Anti black-out portable rechargeable lantern
Lampe LED portative rechargeable anti black-out



IR116LED



IR117LED



IR118LED



IR126ALU

COD.	IR116LED	IR117LED	IR118LED	IR126ALU
Alimentazione / Power supply / Alimentation	220V ~ 50 Hz / 5V === 150mA	230V ~ 50 Hz / 9V === 150mA	230V ~ 50 Hz / 9V === 150mA	220V ~ 50 Hz / 5V === 150mA
Batteria / Battery / Batterie	Pb 4V 0,9Ah	Pb 6V 4Ah	Pb 6V 4Ah	Pb 4V 1,2 Ah
Tecnologia della Luce / Light technology / Technologie de la lumière	12 x 2835 SMD LED	40 x 2835 SMD LED	80 x 2835 SMD LED	30 x 2835 SMD LED
Potenza d'illuminazione (W) / (W) Power / Puissance (W)	1,2 W	4 W	8 W	3W
Lumen / Lumen / Lumen	80Lm	300 Lm	500 Lm	150 Lm
Tempo di ricarica / Charging Time / Temps de recharge	15 ore/hrs	25 ore/hrs	25 ore/hrs	15 ore/hrs
Autonomia / Runtime / Autonomie	5 ore/hrs	20 ore/hrs	12 ore/hrs	5 ore/hrs
Tipo di luce / Kelvin degrees / Degrés Kelvin				
Fascio di luce / Light beam / Type de faisceau	Diffuso/Diffuse/Diffuse	Diffuso/Diffuse/Diffuse	Diffuso/Diffuse/Diffuse	Diffuso/Diffuse/Diffuse
Durata di vita del LED / LED Life time / Durée de vie des LED	30.000 ore/hrs	30.000 ore/hrs	30.000 ore/hrs	30.000 ore/hrs
Dimensioni prodotto / Product dimensions / Dimensions	79 x 88 x 95 mm	79 x 88 x 180 mm	79 x 88 x 326 mm	54 x 45 x 211 mm
Materiale / Material / Matériau	AL+ABS	AL+ABS	AL+ABS	AL+ABS
IP	IP40	IP40	IP40	IP40
Accessori / Accessories / Accessoires	Home adaptor	Home adaptor	Home adaptor	Home adaptor

IR116LED



PACKING	INNER	MASTER
	pcs	pcs
Colour box	6	24

IR117LED



PACKING	INNER	MASTER
	pcs	pcs
Colour box	6	12

IR118LED



PACKING	INNER	MASTER
	pcs	pcs
Colour box	6	12

IR126ALU



PACKING	INNER	MASTER
	pcs	pcs
Colour box	6	30



IR200-MAGICA LED

Lantern portatile ricaricabile antiblack-out
Anti black-out portable rechargeable lantern
Lampe LED portative rechargeable anti black-out



IR200

COD.	IR200
Alimentazione / Power supply / Alimentation	230V ~ 50 Hz / 5.0V === 1.0A
Batteria / Battery / Batterie	3.7V 2000 mAh Lithium (18650)
Tecnologia della Luce / Light technology / Technologie de la lumière	3W COB LED
Potenza d'illuminazione (W) / (W) Power / Puissance (W)	3W
Lumen / Lumen / Lumen	max 250 Lm
Tempo di ricarica / Charging Time / Temps de recharge	12 ore/hrs
Autonomia / Runtime / Autonomie	low: 13,5 ore/hrs hight: 4,5 ore/hrs
Fascio di luce / Light beam / Type de faisceau	Diffuso/Diffuse/Diffuse
Durata di vita del LED / LED Life time / Durée de vie des LED	
Dimensioni prodotto / Product dimensions / Dimensions	195 x 126 x 36 mm
Materiale / Material / Matériau	ABS
Accessori / Accessories / Accessoires	Home adaptor

IR200



IR200 - DISPLAY vuoto



PACKING	INNER	MASTER
pcs	pcs	pcs
Blister F5	6	24




ER004 - BEACON 6W

Lampada non permanente per illuminazione d'emergenza
Self-contained not-maintained luminaire for emergency lighting
Bloc de secours non permanent



ER018 - SLIM LED △


Lampada non permanente per illuminazione d'emergenza
Self-contained not-maintained luminaire for emergency lighting
Bloc de secours non permanent



WITH
FLUSH
MOUNTING
BOX

ER012 - SLIM LED △

Lampada non permanente per illuminazione d'emergenza
Self-contained not-maintained luminaire for emergency lighting
Bloc de secours non permanent



COD.	ER004	ER012	ER018
Alimentazione / Power supply / Alimentation	220-240V ~ 50 Hz	230-240V ~ 50/60 Hz	220-240V ~ 50 Hz
Batteria / Battery / Batterie	Ni-Cd AA1000mAh 4,8V	Ni-Mh 3,6V 1,2 Ah	Ni-Mh 3,6V 1,2 Ah
Tecnologia della Luce / Light technology / Technologie de la lumière	Neon T5 / 6W	12 Super LED	18 Super LED
Lumen / Lumen / Lumen	85 Lm	40 Lm	80 Lm
Tempo di ricarica / Charging Time / Temps de recharge	24 ore/hrs	24 ore/hrs	24 ore/hrs
Autonomia / Runtime / Autonomie	1h approx	>3 ore/hrs	2 ore/hrs
Fascio di luce / Light beam / Type de faisceau	Diffuse Light	Diffuse Light	Diffuse Light
Dimensioni prodotto / Product dimensions / Dimensions	290 x 145 x 71,5 mm	260 x 103 x 66 mm	255 x 50 x 100 mm
Materiale / Material / Matériau	PC	PC + ABS	PC + ABS
Grado di protezione / Protection degré / Degré de protection	IP65	IP65	IP20
Classe di isolamento / Insulation class / Classe isolation		II	II
Accessori / Accessories / Accessoires		Scatola da incasso inclusa/ Flush mounting box included / Boîtier d'encastrement inclus	Viti / Screw / Vis

ER004



PACKING	INNER	MASTER
	pcs	pcs
Colour box	4	12

ER012



PACKING	INNER	MASTER
	pcs	pcs
Colour box	4	12

ER018



PACKING	INNER	MASTER
	pcs	pcs
Colour box	4	12



Codice Item Code	Peso netto in grammi 	PACKING 	Dimensioni singolo imballo (cm)		
			Larghezza	Profondità	Altezza
ID70E	80	Polybag	10,7	5	19,7
D63LED	86	Blister F2	10	3,6	21
IP04	213	Blister F6	10	5	31,75
IRUB1LED	70	Blister F2	10,5	4,8	20,4
IRUB2LED	196	Blister F6	10,5	8	32,3
IRUB3LED	230	Blister F5	12,4	8	36,8
IRUB20LED	511	Bulk	34	23	42
IL03	85	Blister F4	15,7	5	21
IL12	47	Blister F2	10	3	20
IL05LED	74	Blister F4	15,7	5,4	20,3
IL13EVO	100	Blister F2	15,5	4,5	20,5
IL14EVO	110	Blister F5	15,6	3,5	32,1
IL11EVO	70	Blister F4	15,6	4,5	20,5
IL15XS	92	Blister F4	16	8,5	21
IL24WS	63	Blister F6	10	5	31,75
IL16	28	Blister F2	10	2,7	20
LT010	217	Colour box	6	3,5	49
IN232	30	Blister F2	10	4	20
IN215	30	Blister	21,2	13	1,9
IN205	85	Colour box	16,5	3,7	21
IR04	15	Blister F2	10	3,6	21
R700	205	Blister F4	15,5	4	20
R700H	205	Blister F4	15,5	4	20
IR170LED	753	Colour box	15,5	8,7	24,5
IR160LED	1650	Colour box	31	11	17
IR116LED	347	Colour box	10	8,5	15
IR117LED	911	Colour box	8,5	9,5	23,4
IR118LED	116	Colour box	8,5	9,5	37,8
IR126ALU	530	Colour box	7	5,5	29
IR200	260	Blister F5	15,5	4	31,75
ER004	346	Colour box	30	9,5	15,3
ER012	655	Colour box	32,2	3	10,5
ER018	466	Colour box	35,5	13,2	7,5



Work

Work

TORCE E ASTUCCI USO PROFESSIONALE

Professional pocket lamps and flashlights / Lampes de poche et torches professionnelles

**CREE®
XPE**

3W

**ALUMINIUM
REFLECTOR**

IM35LED

IM36LED

IM38LED

IM35LED - METALLED △

Torcia metallica LED 3W
3W LED Metal flashlight
Torche LED 3W metallique

IM36LED - METALLED

Torcia metallica LED 3W
3W LED Metal flashlight
Torche LED 3W metallique

IM38LED - METALLED

Torcia metallica LED 3W + cono rosso di segnalazione
3W LED metal flashlight + red signal cone
Torche LED 3W metallique + cône rouge de signalisation

IM37LED - METALLED

Torcia metallica LED 10W
10W LED Metal flashlight
Torche LED 10W metallique

**CREE®
XML**

10W

**ALUMINIUM
REFLECTOR**

IM37LED

COD.									IP
IM35 LED	3W CREE® XPE R2 LED	150 Lm	150 mt	>50 ore/hrs	Focus Light	218 x 32,6 mm	3 x LR6/AA (not included)	AL	IPX4
IM36 LED	3W CREE® XPE R3 LED	200 Lm	180 mt	>50 ore/hrs	Focus Light	243 x 39,3 mm	3 x LR14/C (not included)	AL	IPX4
IM38 LED	3W CREE® XPE R3 LED	200 Lm	180 mt	9,5 ore/hrs	Focus Light	Torch: 39,3ø x 203 mm Cone: 19,4ø x 145 mm	2 x LR14/C (not included)	AL	IPX4
IM37 LED	10W CREE® XML T6 LED	800 Lm	550 mt	>50 ore/hrs	Focus Light	373 x 61 mm	3 x LR20/D (not included)	AL	IPX4

IM35



PACKING	INNER	MASTER
	pcs	pcs
Blister F6	6	24

IM36LED



PACKING	INNER	MASTER
	pcs	pcs
Blister F5	6	36

IM38LED



PACKING	INNER	MASTER
	pcs	pcs
Blister F5	6	24

IM37LED



PACKING	INNER	MASTER
	pcs	pcs
Blister F8	6	12

TORCE E ASTUCCI USO PROFESSIONALE

Professional pocket lamps and flashlights / Lampes de poche et torches professionnelles

Work



IM42 - KOST

Torcia LED 3W CREE®
3W CREE® LED flashlight
Torche 3W CREE® LED



IM42



PACKING	INNER	MASTER
	pcs	pcs
Blister F2	6	72



3W
CREE®
XPE

TACTICAL
SWITCH

COD.									IP
IM42	3W CREE® XPE R3 LED	140 Lm	120 m	12 ore/hrs	Regolabile / Adjustable	28 x 28 x 156 mm	2 x AA/LR6 (not included)	AL	IPX5

IMR70LED-5W - HEAVY DUTY LED

Torcia in alluminio ricaricabile LED 5W
Rechargeable 5W LED Metal flashlight
Torche LED 5W métallique rechargeable



IMR70LED-5W



PACKING	INNER	MASTER
	pcs	pcs
Blister F5	6	12



5W
CREE®
XPE

COD.									IP	+
IMR70LED-5W	5W CREE® XPE R3 LED	200 Lm	200 m	4 ore/hrs	Focus Light	48 ø x 179,5 mm	1650 Li-thium 2000 mAh (included)	AL	IPX6	Trasformatore / Adaptor + Batteria/Battery

LC300 - CHEMIN DE FER

Astuccio in metallo verniciato
Painted metal pocket lamp
Lampe de poche en métal vernis équipée de filtres mobiles rouge et vert pour les opérations de signalisation

LC300



PACKING	INNER	MASTER
	pcs	pcs
Bulk	12	12



COD.									+
LC300	20827 - 3,8V - 0,3 A	14 Lm	15 m	2 ore/hrs	Focus Light	68 x 55 x 117 mm	3R12 (not included)	Metal	Morse button Filters



Work

FARI USO PROFESSIONALE
Professional spotlights / Phares pour usage professionnel

IR554LED - ICARO 3W

Faro LED ricaricabile 3W
Rechargeable 3W LED spotlight
Phare 3 W LED rechargeable

**3W
LED**



IR553LED - HORNET 3W △

Faro LED ricaricabile 3W
Rechargeable 3W LED spotlight
Phare 3 W LED rechargeable

**3W
LED**



IR557LED - HORNET 5W

Faro LED ricaricabile 5W
Rechargeable 5W LED spotlight
Phare 5 W LED rechargeable

**5W
LED**



PER TUTTI/FOR ALL/POUR TOUS



INCLUSI/INCLUDED/INCLUS

COD.	IR554LED	IR553LED	IR557LED
Alimentazione / Power supply / Alimentation	220V ~ 50Hz / 5V === 200 mA	220V ~ 50Hz / 5V=== 200mA	220V ~ 50Hz / 5V=== 200mA
Batteria / Battery / Batterie	Pb 4V 2Ah	Pb 4V 2Ah	Pb 4V 2Ah
Tecnologia della Luce / Light technology / Technologie de la lumière	3W High Power LED	3W High Power LED	5W High Power LED
Potenza (W) / (W) Power / Puissance (W)	3 W	3W	5W
Portata / Range / Distance d'éclairage	250 m	250 m	400 m
Lumen / Lumen / Lumen	170 Lm	170 Lm	350 Lm
Tempo di ricarica / Charging Time / Temps de recharge	12 ore/hrs	12 ore/hrs	12 ore/hrs
Autonomia / Runtime / Autonomie	3W brightness mode: 10 ore / hours +/- 15% 1W brightness mode: >12 ore/ hours +/- 15%	10 ore / hours +/- 15%	Hi brightness mode: 2 ore / hours Low brightness mode: 5 ore/ hours
Fascio di luce / Light beam / Type de faisceau	Focus Light	Focus Light	Focus Light
Massima intensità del fascio / Peak beam intensity	> 6700 cd	> 6700 cd	-
Durata di vita del LED / LED Life time / Durée de vie des LED	50.000 ore /hrs	50.000 ore /hrs	50.000 ore /hrs
Dimensioni prodotto / Product dimensions / Dimensions	178 x 105 x ø 140 mm	178 x 104 x 150 mm	178 x 104 x 150 mm
Materiale / Material / Matériau	PP	PP	PP
Grado di protezione / Protection degré / Degré de protection	IP20	IP43	IP44
Accessori / Accessories / Accessoires	Tracolla / Carry strap Adattatore 12V / 12V Car adaptor Trasformatore 220V / 220V Home adaptor	Tracolla / Carry strap Adattatore 12V / 12V Car adaptor Trasformatore 220V / 220V Home adaptor	Tracolla / Carry strap Adattatore 12V / 12V Car adaptor Trasformatore 220V / 220V Home adaptor

IR554LED



PACKING	INNER	MASTER
/	pcs	pcs
Colour box	-	6

IR553LED



PACKING	INNER	MASTER
/	pcs	pcs
Colour box	-	6

IR557LED



PACKING	INNER	MASTER
/	pcs	pcs
Colour box	-	6



IR666-DRY - DOOMSTER BASIC

Faro 1W LED
1W LED spotlight
Phare 1W LED

WORKS WITH:



IP44



1W
LED



INCLUSI/INCLUDED/INCLUS

IR666-5W - DOOMSTER POWER

Faro ricaricabile LED 5 Watt
5 Watt LED rechargeable spotlight
Phare rechargeable LED 5 Watt

IP44



5W
CREE®
XPG



INCLUSI/INCLUDED/INCLUS

ANTI
BLACK
OUT

COD.	IR666-DRY	IR666-5W
Alimentazione / Power supply / Alimentation	-	230V ~ 50Hz / 5V === 200mA
Batteria / Battery / Batterie	4R25 oppure 4 x D - (non in dotazione - not included)	Pb 4V 3Ah
Tecnologia della Luce / Light technology / Technologie de la lumière	1 LED 1W High power	CREE® XPG LED
Potenza (W) / (W) Power / Puissance (W)	1W	5W
Portata / Range / Distance d'éclairage	>150 m	574 m
Lumen / Lumen / Lumen	100 Lm	350Lm
Tempo di ricarica / Charging Time / Temps de recharge	-	6 ore
Autonomia / Runtime / Autonomie	40 ore/hrs	HI beam (100%): 5 ore/hrs LOW beam (50%) 19 ore/hrs
Fascio di luce / Light beam / Type de faisceau	Focus Light	Focus Light
Durata di vita del LED / LED Life time / Durée de vie des LED	30.000 ore/hrs	30.000 ore /hrs
Dimensioni prodotto / Product dimensions / Dimensions	208 x 144 x 162 mm	208 x 144 x 162 mm
Materiale / Material / Matériau	ABS/NYLON	ABS/NYLON
Grado di protezione / Protection degré / Degré de protection	IP44	IP44
Accessori / Accessories / Accessoires	Adattatore per 4 x LR20 incluso / 4 x LR20 Adaptor included	Tracolla / Carry strap Adattatore 12V / 12V Car adaptor Trasformatore 220V / 220V Home adaptor

IR666-DRY



PACKING	INNER	MASTER
	pcs	pcs
Bulk	-	6

IR666-5W



PACKING	INNER	MASTER
	pcs	pcs
Colour box	-	6



Work

FARI USO PROFESSIONALE

Professional spotlights / Phares pour usage professionnel

1K830 - PORTO △

Lampada da lavoro alogena in lega d'alluminio
Halogen aluminium alloy work lamp
Lampe halogene de travail en alliage d'aluminium



**INCLUSA
INCLUDED
INCLUS**

1K830LED - PORTOLED 3W

Lampada da lavoro LED in lega d'alluminio
Aluminium alloy 3W LED work lamp
Lampe de travail LED 3W en alliage d'aluminium



**INCLUSA
INCLUDED
INCLUS**

COD.	1K830	1K830LED
Alimentazione / Power supply / Alimentation	-	-
Batteria / Battery / Batterie	4R25-2 6V +/-10Ah	4R25-2 6V +/-10Ah
Tecnologia della Luce / Light technology / Technologie de la lumière	23493 5,2V - 0,85 A	3W High power LED
Potenza (W) / (W) Power / Puissance (W)	-	3W
Portata / Range / Distance d'éclairage	200m	200m
Lumen / Lumen / Lumen	150 Lm	150 Lm
Tipo di luce / Kelvin degrees / Degrés Kelvin	-	-
Tempo di ricarica / Charging Time / Temps de recharge	-	-
Autonomia / Runtime / Autonomie	48 ore/hrs	48 ore/hrs
Fascio di luce / Light beam / Type de faisceau	Focus Light	Focus Light
Durata di vita del LED / LED Life time / Durée de vie des LED	-	50.000 ore /hrs
Dimensioni prodotto / Product dimensions / Dimensions	240 x 260 x 120 mm	240 x 260 x 120 mm
Materiale / Material / Matériau	Lega di Alluminio	Lega di Alluminio
Grado di protezione / Protection degré / Degré de protection	IP20	IP20
Accessori / Accessories / Accessoires	Tracolla / Bandoulière / Carry strap	Tracolla / Bandoulière / Carry strap

1K830



PACKING	INNER	MASTER
	pcs	pcs
Blister	-	4

1K830LED



PACKING	INNER	MASTER
	pcs	pcs
Blister	-	4



IS142R - CYCLOP

Faro ricaricabile LED 10W
10W LED rechargeable spotlight
Phare LED 10W rechargeable

SMD
TECHNOLOGY

10W



IS147R - CYCLOP

Faro ricaricabile LED 20W
20W LED rechargeable spotlight
Phare LED 20W rechargeable

SMD
TECHNOLOGY

20W



Funzione AC/DC: funziona mentre carica
AC/DC function: works while charging
AC/DC fonction: fonctionne pendant la charge



INCLUSI/INCLUDED/INCLUS

INCLUSI/INCLUDED/INCLUS

COD.	IS142R	IS147R
Alimentazione / Power supply / Alimentation	220/240V ~ 50 Hz / 8,5V === 1.5A	220/240V ~ 50 Hz / 12,6V === 1.5A
Batteria / Battery / Batterie	7,4V 4,4Ah, Li-ion	11,1V 4400mAh, Lithium
Tecnologia della Luce / Light technology / Technologie de la lumière	20W LED SMD	20W LED SMD
Potenza (W) / (W) Power / Puissance (W)	10-11W	20W
Lumen / Lumen / Lumen	700 Lm	1200 Lm
Tipo di luce / Kelvin degrees / Degrés Kelvin	6500 K	6000 K
Tempo di ricarica / Charging Time / Temps de recharge	4-5 ore/hours	6 ore/hours
Autonomia / Runtime / Autonomie	3 ore/hours	3 ore/hours
Fascio di luce / Light beam / Type de faisceau	diffusa 110°	diffusa 120°
Durata di vita del LED / LED Life time / Durée de vie des LED	30.000 ore/hrs	30.000 ore/hrs
Dimensioni prodotto / Product dimensions / Dimensions	167 x 183 x 240 mm	220 x 185 x 195 mm
Materiale / Material / Matériau	Alluminio/Aluminium	Alluminio/Aluminium
Grado di protezione / Protection degré / Degré de protection	IP54	IP65
Accessori / Accessories / Accessoires	Adattatore 12V / 12V Car adaptor Trasformatore 220V / 220V Home adaptor	Adattatore 12V / 12V Car adaptor Trasformatore 220V / 220V Home adaptor Power bank

IS142R



PACKING	INNER	MASTER
1 / 1	pcs	pcs
Colour box	-	6

IS147R



PACKING	INNER	MASTER
1 / 1	pcs	pcs
Colour box	-	4



Work

PENNE LUMINOSE
Penlight / Crayon lumineux

IM01 - MINIPENLITE LED △

Mini LED penlight
Mini LED penlight
Mini crayon lumineux LED

IM01



PACKING	INNER	MASTER
	pcs	pcs
Blister F1	12	96



COD.								
IM01	1 LED Standard	6 Lm	5 m	6 ore/hrs	Focus Light	88 x 18ø mm	1 x AAA/LR03 (not included)	AL

IM02LED - PENLITE LED △

Penna luminosa LED
LED penlight
Crayon lumineux LED

IM02LED



PACKING	INNER	MASTER
	pcs	pcs
Blister F2	12	48



COD.								
IM02LED	1 Super LED	6 Lm	5 m	33 ore/hrs	Focus Light	140 x 15ø mm	2 x AAA/LR03 (not included)	AL

PENLED05 - PENLITE LED △

Penna luminosa LED
LED penlight
Crayon lumineux LED

PENLED05



PACKING	INNER	MASTER
	pcs	pcs
Blister F2	12	96



COD.								
PENLED05	1 Super LED 0,5W	30 Lm	6 m	6 ore/hrs	Focus Light	136 x 14ø mm	2 x AAA/LR03 (not included)	Acciaio / Stainless



IS305 - DOBLE XL △

Luce da lavoro 3 + 20 LED
3 + 20 LED worklight
Lumière de travail 3 + 20 LED

IS305



PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	48



COD.									
IS305	3+20 LED SMD	100 Lm	3-5 m	HL: 18 ore/hrs LOW: 31 ore/hrs	Focus/Diffuse Light	96 X 70 X 35 mm	3 x AAA/LR03 (not included)	ABS	Gancio, calamita e supporto

IS404 - TRANSFORMER

Luce da lavoro 8+1 LED
8+1 LED work light
Lumière de travail 8+1 LED

IS404



PACKING	INNER	MASTER
	pcs	pcs
Blister F5	6	48



COD.									
IS404	1 High power 0,5 W + 8 LED	220+30 Lm	15 m	>40 ore/hrs	Diffuse/Focus Light	60 x 50 x 230 mm	3 x AA/LR6 (not included)	ABS	Gancio, Calamita

IS407 - WORKER

Luce da lavoro COB LED + 6 LED
COB LED + 6 LED worklight
Lumière de travail COB LED + 6 LED

IS407



PACKING	INNER	MASTER
	pcs	pcs
Blister F5	6	48



COD.									
IS407	3W COB LED + 6 LED standard	3W COB LED: 200 Lm / 6 LED: 25 Lm	10 m	3W COB LED: 27 ore 6 LED: 69 ore / hrs	Diffuse Focus Light	210 X 60 X 35 mm	3 x AA/LR6 (not included)	ABS	Gancio Calamita



Work

LAMPADE DA LAVORO
Worklights / Lampes de travail portatives

IS475 - HANDY WORK

Lampada da lavoro ricaricabile multifunzione
Rechargeable multifunction work lamp
Lampe de travail multifonction rechargeable

IS475



PACKING	INNER	MASTER
	pcs	pcs
Blister F5	6	24



COD.									
IS475	3W SMD LED (6 pcs)	300 Lm	8 ore/hrs (50%) 4 ore/hrs (100%)	Diffuse Light	Lampada: 58 x 40 x 240 mm Lampada+base: 70 x 100 x 265 mm	Li-Ion 3,7V 2200 mAh (18650) (Included)	230V ~ 50 Hz / 5V = 1A	ABS	Supporto di carica / Charging base Adattatore 220V / 220V adaptor Adattatore 12V / 12 V adaptor

IS575 - BALADEUSE

IS575



PACKING	INNER	MASTER
	pcs	pcs
Blister F8	6	24



INCLUSI/INCLUDED/INCLUS

COD.									
IS575	3W COB LED	240 Lm	5 mt	3 ore/hrs	90°	57 x 50 x 410 mm	3.7V 2200mA Li-ion (Included)	5V = 1A	IP20

IS525 - WORKSHOP

Lampada da officina con gabbia metallica
Workshop lamp with metal cage
Lampe de travail avec cage métallique

IS525



PACKING	INNER	MASTER
	pcs	pcs
Polybag	12	24



COD.									
IS525	E 27 max 60W (non inclusa)	-	-	-	Diffuse Light	325 x 90 mm	220-240V ~ 50 Hz	Rubber/metal	Cable 5 mt



IH522 - ZEUS

Lampada da testa COB LED
LED COB headlamp
Lampe frontale LED COB

IH522



PACKING	INNER	MASTER
	pcs	pcs
Blister F2	6	72



COD.								
IH522	3W COB LED	120 Lm	6 m	HIGH: 13 ore/hrs LOW: 46 ore/hrs	Diffuse light	(L)60 mm x (W) 50 mm x (H) 40 mm	3 x AAA/LR03 (not included)	ABS

LUCI DI ISPEZIONE

Inspection lights / Lumières d'inspection

IF02N - INSPECTION LIGHT

Lampada da ispezione 1 LED
1 LED inspection light
Lampe d'inspection 1 LED

IF02N



PACKING	INNER	MASTER
	pcs	pcs
Blister F6	6	60



COD.								
IF02N	1 LED Standard	30 Lm	8 m	12 ore/hrs	Focus light	15,4 x 16,5 x 575 mm	3 x AAA/LR03 (not included)	AL

CANTIERISTICA - LAMPEGGIANTI

Blinking road lights / Lumières de chantier et routes

BLINK ROAD

Lampeggiante stradale a 2 LED con sensore crepuscolare
2 LED blinking road light with crepuscular sensor
Lampe clignotante de chantier avec capteur crépusculaire



INCLUSO
INCLUDED
INCLUS



COD.	IL08LED	IL08RLED △
Batteria / Battery / Batterie	4R25 6V (not included)	4R25 6V (not included)
Tecnologia della Luce / Light technology / Technologie de la lumière	2 Standard LED	2 Standard LED
Portata / Range / Distance d'éclairage	N/S	N/S
Lumen / Lumen / Lumen	Lm	Lm
Autonomia / Runtime / Autonomie	+ 950 ore/hrs	+ 950 ore/hrs
Fascio di luce / Light beam / Type de faisceau	N/S	N/S
Durata di vita del LED / LED Life time / Durée de vie des LED	30.000 ore/hrs	30.000 ore/hrs
Dimensioni prodotto / Product dimensions / Dimensions	335 x 185 x 75 mm	335 x 185 x 75 mm
Materiale / Material / Matériau	PC	PC
Grado di protezione / Protection degré / Degré de protection	IP65	IP65
Accessori in dotazione / Accessories / Accessoires	Staffa di fissaggio, gancio	Staffa di fissaggio, gancio

IL08LED



PACKING	INNER	MASTER
	pcs	pcs
Bulk	10	10

IL08RLED



PACKING	INNER	MASTER
	pcs	pcs
Bulk	10	10



Work

TABELLA RIASSUNTIVA

Codice Item Code	Peso netto (g) 	PACKING  / 	Dimensioni singolo imballo (cm)		
			Larghezza	Profondità	Altezza
IM35	190	Blister F6	10,4	4	32,2
IM36LED	190	Blister F5	15,6	5,2	32,5
IM38	230	Blister F5	15,6	5,2	32,5
IM37	476	Blister F8	15,8	6	44,2
IM42	115	Blister F2	11	4	20
IMR70LED-5W	335	Colour box	14,2	12	32,5
LC300	169	Bulk	-	-	-
IR554LED	443	Colour box	19	12	15
IR553LED	481	Colour box	18,5	11,5	15
IR557	481	Colour box	18,5	11,5	15
IR666-DRY	690	Bulk	21,5	20	13,5
IR666-5W	1160	Colour box	21	17	14
1K830	2080	Blister	30	10	39
1K830LED	1772	Blister	29,5	14	30
IS142R	985	Colour box	21,5	15,5	120
IS147R	1400	Colour box	26	14	22
IM01	20	Blister F1	10	2	8,25
IM02LED	19	Blister F2	24	2	11
PENLED05	37	Blister F2	10,5	4	22
IS305	69	Blister F4	15,2	3	20
IS404	250	Blister F5	15,2	6	32,5
IS407	115	Blister F5	15,2	5	32,5
IS475	360	Blister F5	17,7	32,5	12
IS575	234	Blister F5	15,2	9	43,5
IS525	500	Polybag	32,5	9	9
IH522	50	Blister F2	10,5	5	20
IF02N	84	Blister F6	10,5	4	32,5
IL08LED	482	Bulk	-	-	-
IL08RLED	482	Bulk	-	-	-





Outdoor

ID70LED - LANTERNETTE LED

Lanternetta LED
LED Pocket lamp
Lampe de poche LED

ID70LED



PACKING	INNER	MASTER
	pcs	pcs
Blister F2	12	96



MORSE
BUTTON

RED
LENS

COD.									
ID70LED	3 Super LED 0,3W	14 Lm	15 mt	>35 ore/hrs	Diffuse light	67 x 123 x 40 mm	3R12 / 3 x AA/LR6 (not included)	ABS	MORSE, RED LENS, METAL BRACKET

IN270 - ADVENTURE ZOOM

Torcia 1 W LED con zoom
1 W LED Torch with zoom
Torche LED 1 W avec zoom

IN270



PACKING	INNER	MASTER
	pcs	pcs
Blister F2	6	72



ZOOM

1 W
HIGH
POWER

COD.									
IN270	1W Super LED	25 Lm	20 m	15 ore/hrs	Focus/Diffuse Light	121 x 38 mm	3 x AAA/LR03 (not included)	ABS	Cinturino/Wrist band

IN240 - ADVENTURE

Torcia metallica 9 LED
9 LED metal flashlight
Torche métallique 9 LED

IN240



PACKING	INNER	MASTER
	pcs	pcs
Blister F2	6	24



9
SUPER
LED



COD.										
IN240	9 Super LED	25 Lm	>20 m	15 ore/hrs	Focus Light	100 x 32 ø mm	3 x AAA/LR03 (not included)	AL	IP20	Folder

TORCE USO OUTDOOR

Flashlights for leisure and outdoor activities / Lampes torches pour usage extérieur et loisirs

Outdoor

IN246 - STEEL 3W

Torcia con zoom in alluminio LED 3W
3W LED aluminium flashlight with zoom
Torche en aluminium 3 W LED avec zoom

IN246



PACKING	INNER	MASTER
	pcs	pcs
Blister F2	6	48



COD.									IP
IN246	3W High power LED	150 Lm	150 m	9 ore/hrs	Focus Light	109 x 34 mm	3 x AAA/LR03 (not included)	AL	IPX4

IN300 - EVERSAFE △

Powerbank + Torcia 1W LED
Mobile powerbank + 1W LED flashlight
Power bank + torche 1W LED

IN300



PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	48



POWER BANK



COD.								
IN300	1 W LED	90 Lm	40 mt	15 ore/hrs	Focus Light	35 x 32 x 127 mm	Li-ion 1900 mAh (included)	ABS

IN265 - COMBI △

Torcia + Lanterna LED
LED Flashlight + lantern
Torche + lanterne LED

IN265



PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	24



FLASHLIGHT + LANTERN

COD.									+
IN265	1 LED CREE® XPE-R2	100 Lm	150 m	>10 ore/hrs	Focus/ Diffuse Light	121 x 42 mm	3 x AAA/LR03 (not included)	ABS	Cinturino Wrist band

IC201-MIDI CAMPING △

Lantern 1W LED
1W LED lantern
Lanterne 1W LED

IC201



PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	48



COD.									IP
IC201	1W LED	100 Lm	3 m	Hi: 28 ore/hrs Low: 69 ore/hrs	Diffuse Light	75 ø x 60 mm	3 x AA/LR6 (not included)	ABS	IP20

IC280 - TREK

Lantern 31 LED
31 LED Lantern
Lanterne 31 LED

IC280



PACKING	INNER	MASTER
	pcs	pcs
Colour box	-	12



COD.									IP
IC280	31 Super bright LED	93 Lm	N/S	100 ore/hrs	Diffuse Light	106 ø x 200 mm	3 x D/LR20 (not included)	ABS	IP20

IC290 - SOLAR MINI-CAMPING △

Lantern LED camping ricaricabile solare+dinamo
Solar+Dynamo-crank LED mini-camping lantern
Lanterne solaire de camping

IC290



PACKING	INNER	MASTER
	pcs	pcs
Blister	6	24



COD.									IP
IC290	6 Standard LED	7 Lm	N/S	ore/hrs	Diffuse Light	62 x ø 83x 185/230 mm	Litio 3,6 V 120 mA (included)	ABS	IP20

FARI USO OUTDOOR

Spotlights for leisure and outdoor purpose / Phares pour usage extérieur et loisirs

Outdoor

IR666-10W - DOOMSTER TREK

Faro LED ricaricabile 10W

Rechargeable 10W LED spotlight

Phare rechargeable LED 10 W



IP44



**CREE®
10W**



**ANTI
BLACK
OUT**



INCLUSI/INCLUDED/INCLUS


COD.	IR666-10W
Alimentazione / Power supply / Alimentation	230V~50Hz/ 5V ===200mA
Batteria / Battery / Batterie	Pb 4V 3Ah
Tecnologia della Luce / Light technology / Technologie de la lumière	CREE® XML LED
Potenza (W) / (W) Power / Puissance (W)	10 W
Portata / Range / Distance d'éclairage	>1000 m
Lumen / Lumen / Lumen	735 Lm
Tempo di ricarica / Charging Time / Temps de recharge	15 ore/hrs
Autonomia / Runtime / Autonomie	HI beam (100%): 5 ore/hrs LOW beam (50%) 19 ore/hrs
Fascio di luce / Light beam / Type de faisceau	Focus Light
Durata di vita del LED / LED Life time / Durée de vie des LED	30.000 ore /hrs
Dimensioni prodotto / Product dimensions / Dimensions	208 x 144 x 162 mm
Materiale / Material / Matériau	ABS/NYLON
Grado di protezione / Protection degré / Degré de protection	IP44
Accessori / Accessories / Accessoires	Tracolla / Carry strap Adattatore 12V / 12V Car adaptor Trasformatore 220V / 220V Home adaptor Supporto regolabile / Adjustable stand Lanterna 2W COB LED / 2W COB LED Lantern

IR666-10W



PACKING	INNER	MASTER
pcs	pcs	pcs
Colour box	-	6





Outdoor

HEADLAMP

Headlamp / Lumières frontales

IH420 - ULTRALIGHT

Lampada da testa ultra compatta

Ultra compact headlamp

Lampe frontale ultra compacte

IH420



PACKING	INNER	MASTER
/	pcs	pcs
Blister F2	12	48



COD.								
IH420	1 SMD LED	8 Lm	5 mt	30 ore/hrs	Focus Light	29 x 27 x 44 mm	2 x CR2016 (included)	ABS

IH525 - POLIFEMO △

Lampada da testa LED 1W

1W LED head lamp

Lampe frontale LED 1W

IH525



PACKING	INNER	MASTER
/	pcs	pcs
Blister F4	8	48



COD.									IP	+
IH525	1 W High Power LED	50 Lm	40 mt	15 ore/hrs	Focus Light	33 x 46,5 mm	3 X AAA/ LR03 (not included)	AL/ABS	IPX3	Flash function

HEADLAMP

Headlamp / Lumières frontales

Outdoor



IH530 - ARGO ZOOM

Lampada da testa LED 3W con zoom
Head lamp LED 3W with zoom function
Lampe frontale LED 3W avec fonction zoom

PACKING	INNER	MASTER
	pcs	pcs
Blister F4	8	48

IH530



BACKLIGHT

3W
SUPER
POWER



ZOOM

COD.									IP	+
IH530	3 W High Power LED	105 Lm	60 m	12 ore/hrs	Focus/Diffuse Light	70 x 50 x 60 mm	3 AAA/LR03 (not included)	AL/ABS	IPX3	Zoom function Flash function

IH521 - NEW ZEUS

Lampada frontale 3W con interruttore a rilevazione di movimento
3W LED head lamp with motion sensor switch
Lampe frontale 3W avec interrupteur à détecteur de mouvement

IH521



PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	48



3W LED
CREE®
XPE



OFF



ON

**JUST PASS THE HAND
TO SWITCH ON
& SWITCH OFF!**



COD.								
IH521	3W CREE XPE	120 Lm	100 m	HI:9,5 ore/hrs LOW:23,5 ore/hrs	Focus Light	54 x 45 x 39 mm	3 x AAA/LR03 (not included)	Plastic +AL

SUB30LED

Torcia LED subacquea
Scuba diving LED flashlight
Torch LED sous marine

SUB30LED



PACKING	INNER	MASTER
/	pcs	pcs
Blister F2	6	48



COD.

SUB30LED 1 CREE® XPE LED 60 Lm 120 m (in aria) 8 ore/hrs Focus Light 50ø x 130 mm 2 x AA+2 x AAA (not included) ABS+PC IPX8 Cinturino/Wrist band

BK001- BIKE SET LED

Kit luci LED da bici: anteriore + posteriore
LED bike set: front and rear light
Feu avant LED + Feu arrière LED pour vélo

BK001



PACKING	INNER	MASTER
/	pcs	pcs
Blister F4	6	72



3W
HIGH
POWER

COD.

BK001 3W High power LED (front light) 150 Lm 200 m 9 ore/hrs 78 ore/hrs Focus Light Luce anteriore / front light: 10 x 3,2 x 3,2 cm Posteriore / rear light: 7,2 x 4,2 x 2 cm 4+2 AAA (not included) ABS Supporti per installazione Fast installation bracket

PSL005 - LIGHT CLIP △

Clip luminosa 3 LED
3 LED clip
Clip 3 LED

PSL005



PACKING	INNER	MASTER
/	pcs	pcs
Blister F1	6	96



I SEE
YOU!

COD.

PSL005 3 Super LED N/S N/S 38 ore/hrs Diffuse Light 28 x 56 x 19 mm 2 x CR2032 (included) ABS+PC

PSL001 - ARMLED △

Fascia luminosa LED
LED light band
Bandeau lumineux LED

PSL001



PACKING	INNER	MASTER
/	pcs	pcs
Blister F6	6	48



I SEE
YOU!

COD.

PSL001 2 LED N/S N/S 23 ore/hrs Diffuse Light 39 x 200 x 15 mm 2 x CR2032 (included) ABS

SOLARE & AUTONOMO

Solar and autonomous lighting / Éclairage solaire et autonome

Outdoor

IN330E - ENERGY TANK

Torcia dinamo + powerbank

Dynamo LED torch + powerbank

Torche dynamo + powerbank

IN330E



PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	24



COD.									IP	+
IN330E	5 Super LED	9 Lm	10 m	dynamo 1 min - 15 min (3 LED) dynamo 1 min - 10 min (5 LED)	Focus Light	145 x 50/63 x 35 mm	Ni-Mh 3,6 V 80 mA (included)	ABS	IP20	Connectors

IS340 - SOL-COB7W

Faro LED a carica solare con rilevatore di movimento

Solar charged LED floodlight with motion sensor

Projecteur solaire LED avec détecteur de mouvements



COD.	IS340
Alimentazione / Power supply / Alimentation	Amorbus solar cell
Batteria / Battery / Batterie	Li-ion 3,7V 1200mAh / type 18650
Tecnologia della Luce / Light technology / Technologie de la lumière	LED COB 7W
Potenza (W) / (W) Power / Puissance (W)	7W
Lumen / Lumen / Lumen	964 Lm
Tipo di luce / Kelvin degrees / Degrés Kelvin	6500K
Fascio di luce / Light beam / Type de faisceau	Diffuso
Angolo di rilevazione / Degrees motion sensor	180°
Durata di vita del LED / LED Life time / Durée de vie des LED	30000
Dimensioni prodotto / Product dimensions / Dimensions	Faro: 195x155x105 mm Pannello: 225 x 175 x 125 mm
Materiale / Material / Matériau	ABS
IP	IP44

IS340



PACKING	INNER	MASTER
	pcs	pcs
Colour box	-	4



SPK02 - BLOSSOM

Lampada solare LED da giardino
Solar garden LED light
Borne solaire LED

SPK02



PACKING	INNER	MASTER
/	pcs	pcs
Display 20 pcs	20	40



SPK03 - BLOSSOM

Lampada solare LED da giardino
Solar garden LED light
Borne solaire LED

SPK03



PACKING	INNER	MASTER
/	pcs	pcs
Display 20 pcs	20	40



COD.									IP
SPK02	1 Standard LED	2 Lm	N/S	8 ore/hrs	Diffuse Light	ø 56 x 260 mm	Ni-Mh AAA 1,2V 100mAh (included)	ABS	IP20
SPK03	1 Standard LED	2 Lm	N/S	8 ore/hrs	Diffuse Light	ø 56 x 260 mm	Ni-Mh AAA 1,2V 100mAh (included)	ABS	IP20

SPK04 - FLOWER

Lampada solare LED da giardino
Solar garden LED light
Borne solaire LED

SPK04



PACKING	INNER	MASTER
/	pcs	pcs
Display 20 pcs	20	40



SPK10 - GLOBE

Lampada solare LED da giardino
Solar garden LED light
Borne solaire LED

SPK10



PACKING	INNER	MASTER
/	pcs	pcs
Display 20 pcs	20	40



COD.									IP
SPK04	1 Standard LED	2 Lm	N/S	6 ore/hrs	Diffuse Light	60,5 x 60,5 x 340 mm	1,2V 40 mAh Ni-Mh (included)	ABS	IP20
SPK10	1 Standard LED	2 Lm	N/S	8 ore/hrs	Diffuse Light	100 x 100 x 340 mm	1 x AAA 1,2 100mA Ni-Mh (included)	ABS	IP20

LUMINI VOTIVI

Votive light / Lumière votive

Outdoor

IL01E - U&G LUMINO

Lumino votivo a batterie included "usa e getta"

Battery operated disposable votive light

Lumière votive jetable

IL01E



PACKING	INNER	MASTER
/	pcs	pcs
Tray 12 pcs	-	24



COD.									IP
IL01E	1 LED rosso	5 Lm	N/S	60 gg/day/	Diffuse Light	56 ø x 94 mm	2 x C/LR14 (included)	ABS	IP20

IL01 - LUMINO

Lumino votivo riutilizzabile a batterie (not included)

Battery operated votive light

Lumière votive à piles (not fournies)

IL01



PACKING	INNER	MASTER
	pcs	pcs
Colour box	12	48



COD.									IP
IL01	1 LED rosso	5 Lm	N/S	60 gg/day/	Diffuse Light	70 ø x 115 mm	2 x C/LR14 (not included)	ABS	IP20

GMILO1 - ETERNITY LIGHT

Lumino votivo riutilizzabile a batterie (included)

Battery operated votive light

Lumière votive à piles (fournies)

GMILO1



PACKING	INNER	MASTER
/	pcs	pcs
Tray 24 pcs	24	48



COD.									IP
GMILO1	1 LED	N/S	N/S	15 gg/day	Diffuse Light	63 ø x 109 mm	2 AA/LR6 (included)	ABS	IP20

PPILO1 - ETERNITY LIGHT

Lumino votivo riutilizzabile a batterie (included)

Battery operated votive light

Lumière votive à piles (fournies)

PPILO1



PACKING	INNER	MASTER
/	pcs	pcs
Tray 24 pcs	24	48



COD.									IP
PPILO1	1 LED	N/S	N/S	15 gg/day	Diffuse Light	63 ø 109 mm	2 AA/LR6 (included)	ABS	IP20

Codice Item Code	Peso netto (g) 	PACKING 	Dimensioni singolo imballo (cm)		
			Larghezza	Profondità	Altezza
ID70LED	116	Blister F2	10,5	4,1	19,6
IN270	60	Blister F2	10,4	4,2	20,4
IN240	74	Blister F2	10,5	4	20,5
IN246	89	Blister F2	10	5	20
IN300	164	Blister F4	15,5	3,8	20,4
IN265	95	Blister F4	15,5	4,2	20,4
IC201	77	Blister F4	14,2	6	20
IC280	322	Colour box	11,5	11	21
IC290	210	Blister	20,3	8,5	30
IR666-10W	1170	Colour box	20	13,2	15,8
IH420	25	Blister F2	12,5	6	18,5
IH525	99	Blister F4	15,8	9,3	20,2
IH530	137	Blister F4	15,6	11	21
IH521	68	Blister F4	15,8	6,8	20,5
SUB30LED	97	Blister F2	10,5	6,2	20,4
BK001	100	Blister F4	15,2	6	20
PSL005	18	Blister F6	10,4	2,5	8,8
PSL001	47	Blister F1	10	2	31,7
IN330E	174	Blister F4	15,5	5	20,5
IS340	478 faro / 415 pannello (1170)	Colour box	22	14	18
SPK02	74	Display 20 pcs	35	24	16
SPK03	74	Display 20 pcs	35	24	16
SPK04	800	Display 20 pcs	29,5	23	10
SPK10	1900	Display 20 pcs	51	41	10
IL01E	144	Tray 12 pcs	7	7	9
IL01	111	Colour box	9	7	17,7
GMIL01	55	Tray 24 pcs	24	42	12
PPIL01	55	Tray 24 pcs	24	42	12





Gift & Promo



Gift & Promo

ESPOSITORI
Display / Présentoirs

IN235 - KEYLED FANTASY

Portachiavi 3 LED
3 LED Keychain
Porte-clefs 3 LED

IN235



PACKING	INNER	MASTER
/	pcs	pcs
Display 24 pcs	24	288



24 pcs
DISPLAY



COD.								
IN235	3 LED	6 Lm	2 m	21 ore/hrs	Focus Light	17 ø x 68 mm	3 x LR44 (included)	Metal

IN236 - KEYLED

Portachiavi 1 LED
1 LED Keychain
Porte-clefs 1 LED

IN236



PACKING	INNER	MASTER
/	pcs	pcs
Display 24 pcs	24	288



24 pcs
DISPLAY



COD.								
IN236	1 LED	4 Lm	1 m	30 ore/hrs	Focus Light	16 ø x 100 mm	4 x LR41 (included)	AL

D68 - TULIP

Torcia LED in ABS
ABS LED flashlight
Lampe torche LED en ABS

D68



PACKING	INNER	MASTER
/	pcs	pcs
Display 12 pcs	24	48



12 pcs
DISPLAY



COD.									
D68	1 High power LED 0,5W	30 Lm	20 mt	>15 ore/hrs	Focus Light	95 x 31 ø mm	3 x AAA/ LR03 (not included)	ABS	Cinturino/Wrist band

IN238 - ACID

Torcia metallica 1 LED con clip
1 LED metal flashlight with clip
Torche métallique 1 LED avec clip

IN238



PACKING	INNER	MASTER
/	pcs	pcs
Display 20 pcs	20	120



20 pcs
DISPLAY



COD.									
IN238	1 High power LED - 0,5W	20 Lm	20 mt	30 ore/hrs	Focus light	95 x ø 20 mm	1 x AA/LR6 (not included)	AL	Clip



Gift & Promo

ESPOSITORI
Display / Présentoirs

IN226 - KEYLED 5

Portachiavi 5 LED
5 LED Keychain
Porte-clefs 5 LED



IN226



PACKING	INNER	MASTER
/	pcs	pcs
Blister F1	12	72



COD.								
IN226	5 x 0,5W LED	6 Lm	2 m	9,5 ore/hrs	Focus Light	17 ø x 69 mm	4 x LR44 Litio (included)	AL

D85 - ODIN

Pochet lamp 2 in 1
2 in 1 pocket lamp
Lampe de poche 2 en 1

D85



PACKING	INNER	MASTER
/	pcs	pcs
Display 12 pcs	12	96



COD.								
D85	3W LED	120 Lm	110 m	10 ore/hrs	Diffuse Light	35,5ø x 114 mm	3 AAA/LR6 (not included)	AL



IN228 - BOTTLE OPENER

Portachiavi LED con apribottiglie
LED Keychain with bottle opener
Porte-clefs LED avec ouvre bouteille

IN228



PACKING	INNER	MASTER
	pcs	pcs
Blister F1	12	96



COD.								
IN228	3 LED Standard	10 Lm	10 m	3 ore	Focus Light	180 x 76 mm	3 x LR44 (included)	AL

IC102 - DISCOVERY

Faro 9 LED
9 LED spotlight
Phare 9 LED

IC102



PACKING	INNER	MASTER
	pcs	pcs
Display 6 pcs	6	24



COD.								
IC102	9 x 0,6W LED	25 Lm	10 m	>30 ore	Diffuse Light	100 x 115 x 145 mm	3 x AA/LR6 (not included)	ABS



Gift & Promo

TABELLA RIASSUNTIVA

Codice Item Code	Peso netto (g) 	PACKING 	Dimensioni singolo imballo (cm)		
			Larghezza	Profondità	Altezza
IN236	16	Display 24 pcs	12,5	11,5	14,5
IN235	28	Display 24 pcs	17	12	7
D68	32	Display 12 pcs	18	14	13
IN238	21	Display 20 pcs	16,4	20,5	11
IN226	17	Blister F1	10,4	3	8,4
D85	108	Display 12 pcs	17,4	13,5	13
IN228	30	Blister F1	10,4	3	8,4
IC102	230	Display 6 pcs	21,5	33	15



 **VETECH**

***Tutto per
l'automazione
della casa***

STAZEXT01 - TOTAL METEO

Stazione meteo con sonda esterna
Indoor and outdoor weather station
Station météo avec sonde extérieur

STAZEXT01



PACKING	INNER	MASTER
Blister F5	6	48



Descrizione
1 unità: funziona con 2 x AAA (not included).
1 sonda esterna wireless: funziona con 2 x AAA (not included) Distanza max tra unità centrale e sonda esterna: 30 mt

- Funzioni:
- Visualizzazione delle temperature (in C° o F°) interne ed esterne (da -9°C a +50°C).
 - Orologio con formato ora 12 o 24 ore.
 - Sveglia con funzione ripetizione
 - Registrazione dei valori minimi e massimi delle temperature interne ed esterne.

Description:
Indoor unit: works with 2 x AAA (not included)
Outdoor unit: works with 2 x AAA (not included)
Max. distance between the units: 30mt

- Features:
- Indoor and outdoor temperature (C° or F°, -9°C up to +50°C)
 - 12/24 format clock
 - Alarm with snooze
 - Record of the maximal and minimal indoor and outdoor temperature

description:
nité principale: fonctionne avec 2 x AAA (non fournies)
nité extérieure: fonctionne avec 2 x AAA (non fournies)
istance maximale entre les deux unités: 30 mètres

- onctions:
- Températures intérieure et extérieure (C° ou F°, de -9°C a +50°C)
 - Horloge format 12/24 heures
 - Réveil avec fonction répétition
 - Enregistrement des températures intérieures et extérieures maximales et minimales

COD.				
STAZEXT01	Main unit:	73 x 123 x 22 mm	2 x AAA/LR03 (not included)	ABS
	Sensor:	60 x 96 x 27 mm	2 x AAA/LR03 (not included)	

THERM01 - COSY METEO

Stazione meteo da interno
Indoor weather station
Station météo d'intérieur

THERM01



PACKING	INNER	MASTER
Blister F4	6	48



Descrizione
Funziona con 2 x AAA not included.

- Funzioni:
- Visualizzazione delle temperature (in C° o F°, -9°C a +50°C)
 - Orologio con formato ora 12 o 24 ore.
 - Calendario
 - Sveglia con funzione ripetizione
 - Umidità interna (20%-90%)
 - Registrazione dei valori minimi e massimi delle temperature e dell'umidità
 - Tendenza temperatura e umidità

Description:
Indoor unit: works with 2 x AAA (not included)

- Features:
- Temperature (C° or F°, -9°C up to +50°C)
 - 12/24 format clock
 - Calendar
 - Alarm with snooze
 - Indoor humidity (20%-90%)
 - Record of the maximal and minimal temperature
 - Humidity and temperature trend

Description:
Unité principale: fonctionne avec 2 x AAA (non fournies)

- Fonctions:
- Températures intérieure (C° ou F°, de -9°C a +50°C)
 - Horloge format 12/24 heures
 - Calendrier
 - Réveil avec fonction répétition
 - Humidité intérieure (20%-90%)
 - Enregistrement des températures maximales et minimales
 - Tendances températures et humidité

COD.				
THERM01	Main unit	73 x 123 x 22 mm	2 x AAA/LR03 (not included)	ABS

DOM001 - DOORBELL

Campanello senza fili a pile
Battery operated wireless doorbell
Carillon sans fil à piles



WIRELESS
100 mt

25
MELODIES

LED
SIGNAL

DOM002 - DOORBELL

Campanello senza fili a pile
Battery operated wireless doorbell
Carillon sans fil à piles



WIRELESS
80 mt

36
MELODIES

LED
SIGNAL

MS004 - VIGIL

Rilevatore di movimento 2 funzioni
2 functions motion detector
Détecteur de mouvements 2 fonctions

IP44



MS004



COD.	DOM001	DOM002	MS004
Alimentazione / Power supply / Alimentation	Bell: 2 x AA (not included) Button: 1 x CR2032 (included)	Bell: 2 x AA (not included) Button: 1 x CR2032 (included)	9 V or adaptor (not included)
Melodie / Melodies / Mélodies	25	36	-
Raggio d'azione / Detection range / Rayon d'action	100 m	80 m	8 m
Apertura focale / Angle / Angle			140°
Dimensioni prodotto / Product dimensions / Dimensions	66 x 95 x 30 mm	90 x 92 x 24 mm	55 x 78 x 62 mm
Materiale / Material / Matériau	ABS	ABS	ABS
IP	IP44 (button)	IP44 (button)	IP20

DOM001



PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	48

DOM002



PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	48

MS004



PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	36

ALAM4 - MINIALARM

Set 4 allarmi magnetici per porte e finestre

4 magnetic alarms for doors and windows

Kit de 4 mini alarmes magnétiques pour portes et fenêtres

ALAM4



PACKING	INNER	MASTER
	pcs	pcs
Blister F4	6	48

COD.			
ALAM4	Single unit (x4): 42 x 62 x 25 mm	3 x LR44 (included)	ABS



I mini allarmi magnetici VETECH servono ad avvertire un' intrusione. I contatti si fissano (con adesivo) sulla finestra o porta (infisso o sul vetro) della stanza da proteggere e fanno scattare l'allarme da 90dB appena entra un intruso. Ideale per case, ville, appartamenti, camper, caravan, negozi, ecc.

3 pile LR44 incluse

VETECH mini alarms are perfect to prevent an intrusion. The magnetic contacts must be stuck on the window or the door you want to protect (the double sided tape is included): the 90dB alarm will sound as soon an intruder will try to step in opening the door/window. Perfect for homes, villas, camper, stores etc... 3 LR44 batteries included.

Les mini alarmes magnétiques VETECH sont parfaites pour prévenir une intrusion. Les contacts magnétiques se fixent sur les montants de la porte ou de la fenêtre à protéger (scotch double face inclus): la puissante alarme de 90dB sonnera dès qu'un intrus essaiera d'ouvrir la porte ou la fenêtre. Parfaites pour les maisons, les appartements, les camping cars, les magasins etc...

ALAPIR - MINIALLARME

Allarme con sensore di movimento

PIR motion sensor alarm

Mini système d'alarme avec détecteur de mouvements à infrarouges

ALAPIR



PACKING	INNER	MASTER
	pcs	pcs
Blister F5	6	48



COD.			
ALAPIR	Main unit Remote control (2x)	87 x 123 x 50 mm 35 x 67 x 16 mm	4 x AA / LR6 (not included) 3 x LR44 (included)

Mini allarme munito di rilevatore di movimento ad infrarossi e sirena: scatterà non appena verrà rilevato un movimento nella zona protetta. E' possibile usarlo semplicemente appoggiato o fissato a muro tramite la staffa fornita. Grazie ai telecomandi in dotazione può essere attivato e disattivato comodamente a distanza.

Rilevazione dei movimenti: fino a 6 metri.

Angolo di rilevazione: 90°. Alimentazione: 4 pile Stilo AA (not included)

2 telecomandi con pile forniti.

Mini alarm system with motion detector PIR and siren: it will sound as soon as a movement will be detected in the protected area. It can be installed on a table for instance or fixed on the wall using the bracket (included). Easy to use: it can be activated / deactivated by remote control (2 pieces included). Movements are detected up to 6mt. Detection angle: 90°. Power supply: 4 x AA LR6 (not included) 2 remote controls with batteries included.

Mini système d'alarme avec détecteur de mouvement à infrarouges et sirène: il se déclanchera dès qu'un mouvement sera détecté dans la zone protégée. Le système peut être simplement posé sur un meuble ou une table (par exemple) ou bien fixé au mur en utilisant le support fourni. L'activation / désactivation du système est très simple et se fait par l'intermédiaire des deux télécommandes fournies. Détection des mouvements jusqu'à 6 mt et dans un angle de 90°. Alimentation par 4 piles AA LR6 non fournies. 2 télécommandes avec piles fournies.

ALAFIN

Sirena d'allarme finta

Dummy siren box

Sirène d'alarme factice

ALAFIN



PACKING	INNER	MASTER
	pcs	pcs
Colour box	4	8

COD.		
ALAFIN	280 x 195 x 100 mm	ABS



TELEFIN1 - SILVER EYE

Finta videocamera di sorveglianza
Dummy security camera
Camera de surveillance factice

TELEFIN1



PACKING	INNER	MASTER
/	pcs	pcs
Blister F5	6	48



COD.			
TELEFIN1	80 x 160 x 220 mm	2 x AA/LR6 (not included)	ABS

TELEFIN2 - DOME

Finta videocamera di sorveglianza
Dummy security camera
Camera de surveillance factice

TELEFIN2



PACKING	INNER	MASTER
/	pcs	pcs
Blister F4	6	48



COD.			
TELEFIN2	ø117 x 73 mm	2 x AA/LR6 (not included)	ABS

La finta videocamera di sorveglianza VETECH SILVER EYE è una perfetta imitazione di una telecamera professionale. Di facile installazione, non richiede cablaggi. E munita di un LED luminoso rosso che ne simula il funzionamento. Funziona con 2 pile AA LR6 (non fornite). Viteria inclusa

VETECH SILVER EYE dummy camera is a perfect imitation of a professional camera. Easy to install: no wire needed! A red LED will simulate the working of the camera. Works with 2 xAA LR6 batteries (not included) Installation screws included.

La caméra de surveillance factice VETECH SILVER EYE est une parfaite imitation d'une caméra de surveillance professionnelle. Facile à installer elle ne demande aucun cablage. Fonctionne avec 2 piles AA LR6 (non fournies). Vis incluses.

La finta videocamera di sorveglianza VETECH DOME è una perfetta imitazione di una telecamera professionale. Di facile installazione, non richiede cablaggi. E munita di un LED luminoso rosso che ne simula il funzionamento. Funziona con 2 pile AA LR6 (non fornite). Viteria inclusa

VETECH DOME dummy camera is a perfect imitation of a professional camera. Easy to install: no wire needed! A red LED will simulate the working of the camera. Works with 2 xAA LR6 batteries (not included) Installation screws included.

La caméra de surveillance factice VETECH DOME est une parfaite imitation d'une caméra de surveillance professionnelle. Facile à installer elle ne demande aucun cablage. Fonctionne avec 2 piles AA LR6 (non fournies). Vis incluses.



CCTV01

Cartello di segnalazione area videosorveglianza

CCTV01



PACKING	INNER	MASTER
	pcs	pcs
Polybag	10	80

COD.		
CCTV01	200 x 300 mm	Acrylic



REPEL1- MOSQUITO STOP

Dispositivo antizanzare
Mosquito repellent plug-in
Prise anti-mosquito

REPEL1



PACKING	INNER	MASTER
	pcs	pcs
Blister F2	6	48

COD.			
REPEL01	43 x 65 x 62 mm	230V~ 50Hz	ABS



La presa elettrica antizanzare VETECH agisce tramite ultrasuoni che allontanano le zanzare femmine prime responsabili delle punture. Non emette nessuna sostanza chimica né odore. Totalmente innocuo per il corpo umano. Grazie al suo formato compatto può essere inserito ovunque. Ridotto consumo di energia.

The VETECH ultrasonic mosquito repellent plugin works using ultrasound technology disturbing the female mosquitos which are responsible for the bites. The device does not emit chemicals or odours. Totally safe for human body. Low power consumption

La prise anti moustiques VETECH émet des ultrasons inaudibles qui dérangent et éloignent les moustiques femelles, premières responsables des piqures. L'appareil n'émet aucunes substances chimiques ou odeurs. Totallement inoffensif pour le corps humain. Ses dimensions réduites la rendent facile à utiliser de partout. Faible consommations d'électricité.

TABELLA RIASSUNTIVA

Codice Item Code	Peso netto (g) 	PACKING 	Dimensioni singolo imballo (cm)		
			Larghezza	Profondità	Altezza
STAZEXT01	134	Blister F5	15,25	2,7	31,75
THERM01	83	Blister F4	15,25	2,2	20
DOM001	191gr campanello/pulsantiera 140gr	Blister F4	15,25	2,2	20
DOM002	191gr campanello/pulsantiera 140gr	Blister F4	15,25	2,2	20
MS004	140	Blister F4	15,25	5	20
ALAM4	140	Blister F4	15,25	3	20
ALAPIR	175	Blister F5	15,25	7	31,75
ALAFIN	937	Colour box	20	10,4	27,7
TELEFIN1	233	Blister F5	15,25	8	31,75
TELEFIN2	105	Blister F4	15,25	7	20
CCTV01	175	Polybag	21	0,5	35
REPEL01	28	Blister F2	10	7	20




Batteries

Batteries

ZINCO CARBONE
Zinc-carbon / Zinc-Carbone



R03/4BP



R6/4BP



R14/2BP



R20/2BP



3R12/1BP

COD.	FORMATO	TECNOLOGIA	VOLTAGGIO (V)	ALTEZZA (cm)	DIAMETRO (cm)	Peso netto (g)	PACKING	INNER	MASTER
R03/4BP	AAA/MINISTILO/R03	Zinco-Carbone	1,5	4,4	1,2	8	Blister 4 pcs	12	144
R6/4BP	AA/STILO/R6	Zinco-Carbone	1,5	4,9	1,3	15	Blister 4 pcs	12	144
R14/2BP	C/1/2 TORCIA/R14	Zinco-Carbone	1,5	4,9	2,5	44	Blister 2 pcs	12	72
R20/2BP	D /TORCA/R20	Zinco-Carbone	1,5	6	3,2	89	Blister 2 pcs	10	60
3R12/1BP	3R12 / PIATTA/3R12	Zinco-Carbone	4,5	6,3	6,2 x 2,1	62	Blister 1 pcs	10	120

R03/4BP



R6/4BP



R14/2BP



R20/2BP



3R12/1BP



BATTERIE SPECIALI

Special batteries / Batteries spéciales

4R25-2



4R25-2



4R25/1B



4R25/1B



COD.	FORMATO	TECNOLOGIA	VOLTAGGIO (V)	ALTEZZA (cm)	DIAMETRO (cm)	Peso netto (g)	PACKING	INNER	MASTER	Peso
4R25-2	-	Zinco-Carbone	6V	12	13,2 x 6,7	958	Shrink 1 pcs	5	10	6 Kg
4R25/1B	-	Zinco-Carbone	6V	4,7	1,7 x 2,5	460	Shrink 1 pcs	6	24	3,3 Kg



LR03/4BP



LR6/4BP



LR14/2BP



LR20/2BP



3LR12/1BP △

COD.	FORMATO	TECNOLOGIA	VOLTAGGIO (V)	ALTEZZA (cm)	DIAMETRO (cm)	Peso netto (g)	PACKING	INNER	MASTER
LR03/4BP	AAA/MINISTILO/LR03	Alkaline	1,5	4,4	1,2	11	Blister 4 pcs	12	144
LR6/4BP	AA/STILO/LR6	Alkaline	1,5	5	1,4	24	Blister 4 pcs	12	144
LR14/2BP	C/1/2 TORCIA/LR14	Alkaline	1,5	4,9	2,5	73	Blister 2 pcs	12	72
LR20/2BP	D /TORCIA/LR20	Alkaline	1,5	6	3,2	141	Blister 2 pcs	10	60
3LR12/1BP	3R12 / PIATTA/3LR12	Alkaline	4,5	6,3	6,2 x 2,1	125	Blister 1 pcs	12	144

LR03/4BP



LR6/4BP



LR14/2BP



LR20/2BP



3LR12/1BP



6LR61/1BP



LR23A



LR44

COD.	FORMATO	TECNOLOGIA	VOLTAGGIO (V)	ALTEZZA (cm)	DIAMETRO (cm)	Peso netto (g)	PACKING	INNER	MASTER
6LR61/1BP	9V / TRANSISTOR/6LR61	Alkaline	9	4,8	2,5 x 1,7	47	Blister 1 pcs	12	144
LR23A	12V / TELECOMANDO/23A	Alkaline	12	2,8	1	8	Blister 1 pcs	12	144
LR44	LR44	Alkaline	1,5	0,5	1,1		Blister 2 pcs	50	1000

6LR61/1BP



LR23A



LR44



Batteries

SOLUZIONI PER IL PUNTO VENDITA
Store solution / Solutions pour le point de vente



LR03/20



LR6/16



COD.	FORMATO	TECNOLOGIA	VOLTAGGIO (V)	ALTEZZA (cm)	DIAMETRO (cm)	Peso netto (g)	PACKING	INNER	MASTER
LR03/20	AAA/MINISTILO/LR03	Alkaline	1,5	4,4	1,2	11	Blister in display 20 pcs	1	4
LR6/16	AA/STILO/LR6	Alkaline	1,5	5	1,4	24	Blister in display 16 pcs	1	4



AA
PROMO
PACK 12

LR03/12

LR03/12



AAA
PROMO
PACK 12

LR6/12

LR6/12



COD.	FORMATO	TECNOLOGIA	VOLTAGGIO (V)	ALTEZZA (cm)	DIAMETRO (cm)	Peso netto (g)	PACKING	INNER	MASTER
LR03/12	AAA/MINISTILO/LR03	Alkaline	1,5	4,4	1,2	11	Shrink 12 pcs	6	96
LR6/12	AA/STILO/LR6	Alkaline	1,5	5	1,4	24	Shrink 12 pcs	6	48



LT03/2P △



LT6/2P △



CR123A △

COD.	FORMATO	TECNOLOGIA	VOLTAGGIO (V)	ALTEZZA (mm)	DIAMETRO (mm)	Peso netto (g)	PACKING	INNER	MASTER
LT03/2P	AAA/MINISTILO/LT03	Litio	1,5	44	10	13	Blister 2 pcs	12	144
LT6/2P	AA/STILO/LR6	Litio	1,5	50	14	15	Blister 2 pcs	12	144
CR123A	123A	Litio	3	34,5	16,8	16	Blister 1 pcs	12	144

LT03/2P



LT6/2P



CR123A



LITIO A BOTTONNE

Lithium Button cell / Lithium



COD.	FORMATO	TECNOLOGIA	VOLTAGGIO (V)	CAPACITA' mAh	DIAMETRO (mm)	Peso netto (g)	PACKING	INNER	MASTER
CR1632 △	Button cell	Litio	3	120	16		Blister 1 pcs	50	1000
CR2016	Button cell	Litio	3	75	20		Blister 1 pcs	50	1000
CR2025 △	Button cell	Litio	3	150	20		Blister 1 pcs	50	1000
CR2032	Button cell	Litio	3	210	20		Blister 1 pcs	50	1000
CR2450 △	Button cell	Litio	3	600	24		Blister 1 pcs	50	1000

CR1632



CR2016



CR2025



CR2032




CR2450



Batteries

RICARICABILI
Rechargeable / Rechargeable



HR03/4BP



HR6-2000/4BP △



HR6-2600/2BP

COD.	FORMATO	TECNOLOGIA	VOLTAGGIO (V)	CAPACITA' (mAh)	ALTEZZA (mm)	DIAMETRO (mm)	Peso netto (g)	PACKING	INNER	MASTER
HR03/4BP	AAA/MINISTILO/R03	Ni-Mh	1,5	1000	4,4	1	12	Blister 4 pcs	10	100
HR6-2000/4BP	AA/STILO/R6	Ni-Mh	1,5	2000	5	1,6	30	Blister 4 pcs	12	120
HR6-2600/2BP	AA/STILO/R6	Ni-Mh	1,5	2600	5	1,6	30	Blister 2 pcs	12	120

HR03/4BP



HR6-2000/4BP



HR6-2600/2BP



CARICABATTERIE

Battery chargers / Chargeurs de batterie

CBT01

Caricatore universale 2 canali. Ricarica le batterie Ni-MH e Ni-Cd AA, AAA e 9V.
Universal 2 channels battery charger. Charges Ni-MH and Ni-Cd batteries, AA, AAA and 9V.
Chargeur de batteries universel 2 canaux. Charge les batteries Ni-MH et Ni-Cd, AA, AAA and 9V.



CBT01



COD.	FORMATO	(cm)	Peso netto (g)	blister (cm)	PACKING	INNER	MASTER
CBT01	AA - AAA - 9V	11 x 6,5	147	11,4 x 7,6 x 20,5	Blister F2	12	48

CBT03 △

Carica batterie. 2 x AA 2600 mAh - 2 x AAA 1000 mAh incluse. Trasformatori 220V e 12V inclusi
Battery charger. 2 x AA 2600 mAh - 2 x AAA 1000 mAh included. 220V and 12V transformers included.
Chargeurs de batterie. 2 x AA 2600 mAh - 2 x AAA 1000 mAh incluse. Transformateurs 220V et 12V inclus

CBT03



COD.	FORMATO	(cm)	Peso netto (g)	blister (cm)	PACKING	INNER	MASTER
CBT03 △	AA - AAA	7 x 3,1 x 11	124	15 x 7,5 x 24,5	Blister	6	24

BATTERIE AL PIOMBO RICARICABILI

Lead acid batteries rechargeables / Batteries au plomb rechargeables

Batteries



COD.	FORMATO	TECNOLOGIA	(cm)	Peso netto (g)	PACKING /	INNER pcs	MASTER pcs
23718	4V 1Ah	Pb	3,47 x 2,17 x 6,4		Shrink	25	100
23719	4V 4 Ah	Pb	6,6 x 3,3 x 9,6		Shrink	25	100
23720	6V 1,3 Ah	Pb	9,7 x 2,4 x 5,9	265	Shrink	-	20
23721	4V 2 Ah	Pb	4,5 x 3,3 x 7,5	94	Shrink	25	100
23722	6V 4 Ah	Pb	7,1 x 4,8 x 10,6	700	Shrink	-	20
23723	12V 1,3 Ah	Pb	9,8 x 4,4 x 5,8	500	Shrink	-	20
23724	12V 2,2 Ah	Pb	15 x 6,5 x 10	850	Shrink	-	20
23726	6V 7Ah	Pb	15,1 x 3,4 x 9,4	1000	Shrink	-	10
23727	4V 3Ah	Pb	6,6 x 3,3 x 7,5	335	Shrink	25	100
23728	12V 7 Ah	Pb	17,8 x 3,5 x 6,7	2020	Shrink	5	20



DMT800 - DIGITOP △

Multimetro digitale 8 in 1
8 in 1 Digital multimeter
Multimètre digital 8 en 1



DMT800



Multimetro digitale DMT800 ideale per misurare:

- Tensione AC~
- Tensione DC =
- Intensità corrente DC =
- Lettura resistenza Ω
- Test Diodi →|←
- Buzzer •||)
- Misura guadagno Transistor hFE
- Tasto HOLD

IMPORTANTE: prima di qualsiasi intervento sul multimetro (cambio batteria o fusibile) verificare che le sonde di prova siano scollegate dai circuiti in misura.

Caratteristiche:

- Display digitale 3,5 cifre
- Formato palmare
- Doppio isolamento
- Sequenza delle misure: 2 volte al secondo
- Batteria 9V (tipo 6F22 in dotazione)
- Fusibile 0,5A 250V ad azione rapida in dotazione.

Accessori in dotazione:

- Manuale d'uso
- 2 sonde di test isolate

Digital Multimeter DMT800. Perfect to measure:

- AC ~ voltage
- DC voltage =
- DC current =
- Resistance Ω
- Diode test →|←
- Continuity buzzer •||)

- Transistor hFE
- Hold button

WARNINGS: before any operation on the multimeter (battery or fuse substitution) please check that the test leads are not connected to the multimeter.

Specifications:

- Digital display 3,5 digits
- Palm size
- Double insulation
- Sampling rate: > 2 times / second
- Battery 9V (6F22 included)
- Fast fuse 0,5 A 250V included.

Also included:

- User's manual
- 2 test leads

Multimètre digital DMT800 parfait pour mesurer:

- Tension AC ~
- Tension DC =
- Intensité du courant DC =
- Lecture résistance Ω
- Test diode →|←
- Signal de continuité •||)

- Mesure du gain transistor hFE
- Bouton HOLD

IMPORTANT: lors de la substitution de la pile ou du fusible, assurez-vous que les sondes de tests soient déconnectées du multimètre.

Caractéristiques:

- Display digital
- Double isolation
- Séquence des mesures: 2 fois / seconde
- Batterie 9V (type 6F22 fournie)
- Fusible 0,5 A 250V à action rapide (fourni)

Autres accessoires fournis:

- Manuel d'utilisation
- 2 sondes de test

COD.	(cm)	Peso netto (g)	blister (cm)	PACKING /	INNER pcs	MASTER pcs
DMT800	7,3 x 14,4 x 42	402	15,8 x 20,2 x 5	Blister F4	6	48

DMT800MINI - MINI DIGITOP △

Multimetro digitale 8 in 1
8 in 1 Digital multimeter
Multimètre digital 8 en 1



DMT800MINI



Multimetro digitale MINI-DMT800 ideale per misurare:

- Tensione AC~
- Tensione DC =
- Intensità corrente DC =
- Lettura resistenza Ω
- Test Diodi →|←
- Buzzer •||)
- Misura guadagno Transistor hFE
- Generatore onda quadra 50 Hz

IMPORTANTE: prima di qualsiasi intervento sul multimetro (cambio batteria o fusibile) verificare che le sonde di prova siano scollegate dai circuiti in misura.

Caratteristiche:

- Display digitale 3,5 cifre, 0,5"
- Doppio isolamento
- Sequenza delle misure: 2 volte al secondo
- Batteria 12V (tipo 23A in dotazione)
- Fusibile 0,5 A 250V incluso

Accessori in dotazione:

- Manuale d'uso
- 2 sonde di test isolate

Digital Multimeter MINI-DMT800. Perfect to measure:

- AC ~ voltage
- DC voltage =
- DC current =
- Resistance Ω
- Diode test →|←

- Continuity buzzer •||)
- Transistor hFE
- Square wave voltage 50Hz

WARNINGS: before any operation on the multimeter (battery or fuse substitution) please check that the test leads are not connected to the multimeter.

Specifications:

- Digital display 3,5 digits
- Palm size
- Double insulation
- Sampling rate: > 2 times / second
- Battery 12V (23A included)
- Fast fuse 0,5 A 250V included.

Also included:

- User's manual
- 2 test leads

Multimètre digital MINI-DMT800. Parfait pour mesurer:

- Tension AC ~
- Tension DC =
- Intensité du courant DC =
- Lecture résistance Ω
- Test diode →|←

- Signal de continuité •||)
- Mesure du gain transistor hFE
- Sortie onde carré 50 Hz

IMPORTANT: lors de la substitution de la pile ou du fusible, assurez-vous que les sondes de tests soient déconnectées du multimètre.

Caractéristiques:

- Display digital
- Double isolation
- Séquence des mesures: 2 fois / seconde
- Batterie 12V (type 23A fournie)
- Fusible 0,5 A 250V à action rapide (fourni)

Autres accessoires fournis:

- Manuel d'utilisation

COD.	(cm)	Peso netto (g)	blister (cm)	PACKING /	INNER pcs	MASTER pcs
DMT800MINI	4,6 x 9,5 x 2,4	144	15,8 x 20,2 x 3,6	Blister F4	6	48

TESTER PER BATTERIE

Battery Tester / Testeur de piles

Batteries

CBT04

Mini tester per batterie

Small battery tester

Testeur de piles

CBT04



COD.	FORMATO	(cm)	(g)	Imballo (cm)	PACKING /	INNER pcs	MASTER pcs
CBT04	AA-AAA	11 x Ø 2,5	24	10 x 3 x 8,5	Blister F1	12	96

TRASFORMATORI UNIVERSALI

Universal transformer / Transformateur universel

AU001 - STABILIZED UNIVERSAL TRANSFORMER △

600mA

Trasformatori universali

Universal transformer

Transformateur universel

AU001



COD.	FORMATO	(cm)	(g)	Imballo (cm)	PACKING /	INNER pcs	MASTER pcs
AU001	600 mA	6,5 x 6,5	105	10 x 7 x 20	Blister F2	20	40

CERCAFASE

Voltage tester / Testeur de voltage

CF001 - VOLTAGE TESTER XL

Cercafase 140mm

Voltage tester

Testeur de voltage

CF001



CF002 - VOLTAGE TESTER XXL

Cercafase 190 mm

Voltage tester

Testeur de voltage

CF002



COD.	FORMATO	(mm)	(g)	Imballo (cm)	PACKING /	INNER pcs	MASTER pcs
CF001	XL	140	14	6 x 1,9 x 18	Blister	12	288
CF002	XXL	190	25	7,5 x 1,9 x 24	Blister	12	288



Batteries

ESPOSITORI
Display / Présentoirs

Modello/Model/Modèle	Dimensioni/Sizes/Dimensions: cm
VE000008 x 6	70 x 32 x 29



CARTONE



METAL

Modello/Model/Modèle	Dimensioni/Sizes/Dimensions: cm
PALBOX 1 vassoio	60 X 40 X 30(H)
PALBOX 5 vassoi	60 X 40 X 150(H)

LEGENDA FORMATI BLISTER

Tipo di imballo	INNER	MASTER
 / 	 pcs	 pcs
Blister F2	12	144

Per ogni prodotto imballato in blister Velamp fa riferimento a 9 standard dimensionali che trovate illustrati qui sotto.

Tutti i nostri blister sono OMOTETICI per consentire:

- risparmio di spazio
- miglior efficienza commerciale

F1	10(L) x 8,25(H) cm
F1bis	10(L) x 13,5 (H) cm
F2	10(L) x 20 (H) cm
F3	20,5 (L) x 20 (H) cm
F4	15,25 (L) x 31,75 (H) cm
F5	10 (L) x 31,75 (H) cm
F6	31 (L) x 31,75 (H) cm
F7	31 (L) x 31,75 (H) cm
F8	15,25 (L) x 43,5 (H) cm

